

**TABLES**

## TABLES FOR CHAPTER 4

**BLOCK 1 (see p.34)**

<b>Context</b>	<b>Pot</b>	<b>Macro</b>
8	0	0
10	0	0
205	2	0.13
Total	2	0.13

**BLOCK 2 (see p.34)**

<b>Context</b>	<b>Bone</b>	<b>SeaSh</b>	<b>Slag</b>
4	4	95	30
280	0	100	0
Total	4	195	30

**BLOCK 3 (see p.35)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Stone</b>
26	1	17	0	0	0
27	0	10	0	0	0
28	0	1	0	0	0
33	0	1	0	0	0
43	0	0	72	0	0
44	149	0	14.1	0	0
45	1	0	2	0	0
49	3	0	43	591	0
54	4	0	48.6	0	0
58	4	0	394	0	0
60	1	0	24.6	0	0
62	0	0	26.1	0	0
63	2	0	31.8	0	0
71	0	10	0	0	0
72	7	2	0	0	0
74	0	4	0	0	0
86	0	1	34	0	0
106	65	2	60	0	0
107	250	9	156	0	0
113	514	19	349	39.5	9
120	0	101	0	0	0
121	16	1	32	0	0
122	0	1	0	0	0
307	0	24	0	0	0
329	10	4	385	0	0
330	11	4	100	0	0
331	5	2	43	0	0
333	5	2	43	0	0
345	0	0	10	0	0
346	0	0	7	0	0
504	0	0	2	0	0
664	0	14	2	0	0
667	0	26	0	0	0
Total	1,043	253	1,840	645	9

**BLOCK 4 (see p.36)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Stone</b>
148	0	3	0	0	0
155	0	1	0	0	0
156	4	0	0	0	0
162	0	1	0	0	0
166	0	14	0	0	0
262	0	29	0	0	0
264	0	0	92.4	0	0
265	0	0	250	0	0
266	20	0	400	0	38
268	7	0	11.8	0	15.2
271	0	3	0	0	0
281	12	0	221	0	92
282	9	0	33.5	0	33
283	16	4	74	0	203
284	5	3	24.3	0	61.8
285	0	0	0	0	78.4
286	0	2	0	0	0
288	14	1	53.2	4.2	29.9
289	25	0	0	0	32.8
291	0	10	0	0	0
292	3	0	57.2	0	188.8
293	4	0	21.5	0	36.2
294	9	8	35	0	12
295	11	0	60	0	0
560	0	3	0	0	0
613	0	3	0	0	0
614	15	0	1,391	3.6	0
622	0	4	0	0	0
784	0	4	0	0	0
797	0	1	0	0	0
Total	154	94	2,725	7.75	821.1

**BLOCK 5 (see p.36)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Stone</b>
20	918	141	2,101	14.7	519
21	84	22	308	8	173
22	0	118	0	0	0
39	224	15	2,060	40.5	865
89	0	17	0	0	0
92	0	9	0	0	0
93	0	9	0	0	0
145	48	60	130	9.8	0
149	3	0	4	0	0
150	6	1	8	0	0
301	0	12	0	0	0
309	0	6	0	0	0
311	0	1	0	0	0
316	0	5	0	0	0
320	0	3	0	0	0
340	224	11	2,060	40.5	865
513	0	4	0	0	0
515	0	180	0	0	0
526	0	9	0	0	0
527	0	57	0	0	0
528	0	12	0	0	0
529	0	28	0	0	0
639	0	0	48	0	0
651	0	2	0	0	0
652	10	18	25	0	0
656	0	0	11	0	0
657	32	0	45	0	0
658	0	0	24	0	0
659	0	0	14	0	0
662	1	58	221	3.6	15.4
663	121	10	63	3.6	0
669	2	0	0	0	0
671	12	0	9	0	0
672	0	1	0	0	0
673	4	0	35	0	0
763	0	1	0	0	0
771	0	0	19	0	0
801	0	7	0	0	0
802	0	10	0	0	0
803	0	0	0	60	0
804	0	0	0	6.9	0
805	0	0	0	39.8	0
885	0	1	0	0	0
<b>Total</b>	<b>1,689</b>	<b>828</b>	<b>7,185</b>	<b>227.44</b>	<b>2,437</b>

**BLOCK 6 (see p.38)**

Context	Bone	Pot	SeaSh	Macro	Stone	Snail	Slag
239	4	0	0	0	0	0	0
240	3	0	1,983	0	0	0	0
249	0	0	225	0	0	0	0
250	0	0	266	0	0	0	0
305	0	5	0	0	0	0	0
309	200	0	103	105	787	0	7.6
311	0	0	3,086	0	0	0	0
315	0	0	0	0	0	0	0
316	0	0	0	0	0	0	0
317	0	2	188	0	0	0	0
325	0	0	291	0	0	0	0
704	0	0	1,470	417	20	0	0
708	0	1	71	0	0	0	0
710	235	33	4,224	70	2,965	0	9
716	0	1	0	0	0	0	0
Total	442	42	11,907	592	3,772	0	16.6
<b>Pit fills</b>							
520	0	0	0	3.58	0	0.01	0
531	0	0	0	34.21	0	0.07	0
534	0	0	5,884	77	147	0	108
712	0	0	3	0	0	0	0
714	0	0	54	0	0	0	0
716	12	1	15	0	0	0	0
720	0	0	5	5.24	0	0.01	0
722	0	0	11	0	0	0	0
To-tal	12	1	5,972	120.03	147	0.09	108

**BLOCK 7 (see p.41)**

Context	Bone	Pot	SeaSh	Macro	Stone	Slag
15	3	0	159	0	0	0
17	0	9	0	0	0	0
18	0	55	0	0	0	0
19	12	6	18	0	19	0
91	0	3	0	0	0	0
94	5	1	0	0	0	0
128	11	5	167	0	11	0
129	4	4	17	0	0	0
130	3	1	82	0	0	0
133	7	0	123	0	0	0
134	0	7	0	0	0	0
135	0	0	0	0	0	0
136	0	0	0	0	0	0
138	3	0	18	0	0	0
140	25	0	463	7.3	2,538	0
141	0	0	73	0	0	0
143	0	0	12	0	0	0
225	5	0	163	0	0	0
226	0	0	1,180	0	0	0
228	0	0	288	0	0	0
229	45	15	5,107	6.7	0	69.4
230	3	2	71	0	0	0
231	1	0	78	0	0	0
232	4	0	167	0	0	0
233	15	0	0	0	0	0
237	0	3	3	0	0	0
238	0	0	703	0	0	0
244	4	0	42	0	0	0
245	12	0	2,723	0	0	0
302	0	0	2	0	0	0
303	5	0	152	0	0	0
304	59	18	6,849	20	394	71.8
306	3	4	440	0	0	0
308	0	3	0	0	0	0
505	0	70	58	0	0	0
506	4	11	1,789	86	0	0
517	0	3	0	0	0	0
519	0	3	0	0	0	0
522	0	52	0	0	0	0
523	0	4	0	0	0	0
525	0	18	0	0	0	0
624	12	0	119	2.6	13	0
625	6	0	123	0	0	0
627	7	0	327	4.4	23	0
628	13	2	37	7.8	0	0
629	0	6	0	0	0	0
631	14	0	1,166	178	200	30.7
640	2	1	55	0	0	0
642	0	0	1,317	0	0	0
650	3	0	119	0	0	0
751	12	0	979	10	21	0
787	0	0	19	0	0	0
810	0	0	48	0	0	0
Total	302	306	25,256	322.8	3,219	171.9

**BLOCK 8 (see p.41)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>SeaSh</b>	<b>Macro</b>
166	15	0	1,391	3.55
181	4	3	0	0
Total	19	3	1,391	3.55

## TABLES FOR CHAPTER 5

**BLOCK IA (see p.46)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>Snail</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Stone</b>	<b>IHI</b>	<b>pH</b>	<b>Phos</b>
68	553	37	0.01	382	0.06	528	5000	7.5	3

**BLOCK IB (see p.46)**

<b>Context</b>	<b>68</b>
<b>Species</b>	
<i>Cochlicopa lubrica</i>	
<i>Cochlicopa lubricella</i>	1
<i>Cochlicopa</i> sp	
<i>Vertigo antivertigo</i>	
<i>Pupilla muscorum</i>	
<i>Vallonia costata</i>	1
<i>Vallonia excentrica</i>	2
<i>Vitrea contracta</i>	
<i>Nesovitrea hammonis</i>	1
<i>Oxychillus alliarius</i>	1
<i>Helicella itala</i>	
<i>Cepaea hortensis</i>	
<b>Total-terrestrial</b> (including wet species)	<b>6</b>
<b>No. of species</b> (including wet species)	<b>5</b>



**BLOCK 2A (see table p.46)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	Ph	Phos	% Burnt stone	Pumice frags	Wt(g)
42	1594	149	29.00	19571	71.32	98	1169	36000	7.21	4	20	0	0
43	265	26	14.00	568	0.14	0	793	4500	7.31	2	<5	0	0
44	22	4	0.00	185	0.23	0	51	15000	7.48	5	<5	0	0
51	0	0	0.00	0	0.00	0	0	0	7.12	4	0	0	0
52	137	34	0.00	678	7.37	0	73	13000	7.28	2	<5	0	0
55	343	22	0.01	2881	0.21	0	223	21000	7.55	1	20	0	0
56	0	3	0.00	55	0.1	0	0	31000	7.18	3	0	0	0
57	1173	95	11.01	12282	23.11	0	1222	29500	7.29	3	10	0	0
58	10	0	0.00	393	0.11	0	36	30000	7.37	4	<5	0	0
59	831	42	0.01	2000	7.18	0	146	13000	7.21	2	<5	0	0
60	0	0	0.01	18	0.09	0	0	6000	7.39	4	0	0	0
61	51	32	6.00	1475	0.00	0	210	80000	7.26	3	10	0	0
62	74	6	0.01	426	0.08	0	214	22000	7.38	2	<5	2	1.0
63	513	19	0.06	493	7.15	0	339	20000	7.55	3	<5	0	0
64	0	0	0.01	30	0.13	0	14	17000	7.25	3	100	0	0
65	0	1	0.00	7	0.17	0	129	17000	7.23	1	50	1	2.2
66	19	5	0.01	29	0.08	0	0	4500	7.18	4	0	0	0
67	47	4	0.01	98	0.26	0	123	8500	7.41	5	0	0	0
69	74	13	16.01	227	0.19	7	94	12000	7.37	2	10	0	0
70	57	7	4.02	1002	0.08	0	128	23000	7.46	4	<5	0	0
71	4	1	71.00	110	1.10	0	188	25000	7.38	5	10	0	0
72	11	3	0.23	113	0.14	0	201	27500	7.20	5	<5	0	0
73	114	14	0.09	792	0.20	1	287	18000	7.55	5	<5	1	24.4
75	32	0	0.1	1464	0.21	0	608	73000	7.24	2	20	0	0
76	44	2	0.05	33	0.37	0	70	9000	7.30	5	10	0	0
80	0	6	1.74	13	0.17	0	2	6000	7.15	3	0	0	0
81	0	0	0.01	6	0.17	0	0	2500	7.65	2	0	0	0
82	0	0	0.01	0	0.01	0	6	2000	7.05	2	0	0	0
84	0	0	0.00	0	0.00	0	0	0	7.63	2	0	0	0
200	11	7	0.02	36	0.10	0	327	27000	7.31	4	10	0	0
Total	5426	495	153.42	44985	125.47	106	6653						0
Mean								21000					0

**BLOCK 2B (see table p.46)**

Context	67	66	64	63	60	44	43	62	61	82	81	200	80	76	59	75	57	73	72	55	71	70	69	51	42
<b>Species</b>																									
<i>Cochlicopa lubrica</i>																			6	14			1		
<i>Cochlicopa lubricella</i>											2								2	10					1
<i>Cochlicopa</i> sp	4	1	1	1	1		2	2		1	1	1	3	6		3		1	3		1	1			2
<i>Vertigo antivertigo</i>																1									
<i>Pupilla muscorum</i>							1			2	2	1	6	6	3	55	1	41	100	1	6	3			1
<i>Vallonia costata</i>											1	2	4	3	3	4			9	1	1				
<i>Vallonia excentrica</i>						2	1			2	2	3	20	13	7	4	4	3	6	4		3	2		1
<i>Vitrea contracta</i>													1						1				1		
<i>Oxychilus allarius</i>				1									2					1							
<i>Helicella itala</i>													1	1									2		
<i>Cepaea hortensis</i>							1		1								5				1			1	3
Total-terrestrial (including wet species)	4	1	1	2	1	2	5	2	1	5	8	8	37	28	13	66 67	10	54	143	7	8	11	2	1	8
No. of species (including wet species)	1	1	1	2	1	1	4	1	1	3	5	5	7	4	3	4 5	3	6	7	4	3	6	1	1	5

**BLOCK 3A (see table p.47)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Wt
5	876.8	93	32.1	8855.7	0.47	1.7	1986.6	150000	7.2 - 7.7	2-4	25	2	9.6
13	8.00	0	0.06	13.0	0.21	0	7.0	4000	7.7	3	0	0	0
Total	884.8	93	32.16	8868.7	0.68	1.7	1993.6						

**BLOCK 3B (see table p.47)**

<b>Context</b>	<b>13</b>	<b>5(11)</b>	<b>5(314)</b>	<b>5(315)</b>	<b>5(357)</b>	<b>5(464)</b>	<b>5(476)</b>	<b>5(484)</b>
<b>Species</b>								
<i>Cochlicopa lubrica</i>	4	1	2			34		
<i>Cochlicopa lubricella</i>			1		1	37		
<i>Cochlicopa</i> sp	3	1	2		2	168		
<i>Vertigo pygmaea</i>						1		
<i>Pupilla muscorum</i>	18		6		1	10		
<i>Lauria cylindracea</i>		1				10		
<i>Vallonia costata</i>	2	2	3		5	1		
<i>Vallonia excentrica</i>	4	8			8	49		
<i>Vittrina pellucida</i>						1		
<i>Vitrea contracta</i>						2		
<i>Oxychilus allarius</i>	1					2		
<i>Helicella itala</i>	3		2	1 ^	2	10	1 ^	
<i>Cepaea hortensis</i>						2	6 ^	1 ^
Total-terrestrial (including wet species)	35	13	16		19	327	7	
No. of species (including wet species)	7	5	5 6	1	6	12 13	2	1
Seaweed imports <i>Rissoa parva</i>	1							

**BLOCK 4A (see table p.48)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>Snail</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Stone</b>	<b>IHI</b>	<b>pH</b>	<b>Phos</b>
46	112	0	0.36	181	0.04	0	13	7.58	5
47	56	1	0	220	0.02	30	0	6.67	5
Total	168	1	0.36	401	0.06	30	0	0	0

**BLOCK 4B (see table p.48)**

<b>Context</b>	<b>46</b>	<b>47</b>
<b>Species</b>		
<i>Cochlicopa lubrica</i>	23	
<i>Cochlicopa lubricella</i>	12	
<i>Pupilla muscorum</i>	3	
<i>Vallonia costata</i>	3	
<i>Oxychilus allarius</i>	22	1
<i>Helicella itala</i>	2	
Total-terrestrial (including wet species)	65	1
No. of species (including wet species)	5	1

**BLOCK 5A (see p.49)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone
2	33.1	1	0.001	477	6.18	2	23	76000	7.54	3	0
3	0	0	1	15	0	0	0	1000	7.33	5	0
4	23.1	5	0	161	0	0	24	8000	7.46	4	0
7	10	2	0.01	133	0.13	0	0	6000	7.69	3	0
8	3	0	3	120	0.03	0	17	1000	7.78	2	0
9	1	0	0.02	5	0.12	0	2	2700	7.62	3	0
11	1	0	0.03	10	0.04	0	7	1000	7.46	2	0
12	61	3	0.03	768	0.14	5	83	13000	7.63	3	<5
14	22	0	0	0	0	0	0	6500	7.35	2	0
16	44	0	3.05	4	0.11	0	8	3500	7.68	2	0
19	1	0	0.09	4	0.14	0	1	1500	7.59	3	0
20	15	0	0.04	9	0.16	0	2	1500	7.41	4	0
21	23	0	1.04	15	28.21	0	122	19500	7.44	3	0
24	285	0	0	20	22.66	0	21	98500	7.74	2	0
27	30	0	0.03	1	18.15	0	1	13000	7.56	4	0
28	2	0	0.13	2	2.21	0	10	4500	7.07	5	0
35	19	0	0.02	56	1.24	0	4	7000	7.43	2	0
201	11	2	0.05	505	0	0	2	18000	7.74	3	0
Total	584.2	13	8.541	2305	79.52	7	327				
Mean								15500			

**BLOCK 5B (see p.49)**

Sub-block (see 14.3) Context	A 28	A 21	B 27	B 20	B 19	C 35	C 16	D 12	D 11	D 9	E 7	E 4	E 201	E 2	E 3
<b>Species</b>															
<i>Cochlicopa Lubrica</i>	5	5	1	2	6	1	1								
<i>Cochlicopa Lubricella</i>	9	1	3	3	7		1	2							
<i>Cochlicopa</i> sp	6	2	3	3	12		1		2				1	1	1
<i>Vertigo substriata</i>	1														
<i>Vertigo pygmaea</i>	13	1	5	1	14										
<i>pupilla muscorum</i>	41	5	7	10	21	7	13	9	4	7	5		13	2	6
<i>Leiostryla anglica</i>		1													
<i>Lauria cylindracea</i>	1					1	2		4	2			1		
<i>Vallonia costata</i>	5	4				1	3	5	10	10			2		1
<i>Vallonia excentrica</i>	4	3	2	1	9		3	4	2	1			1		
<i>Oxychilus alliarius</i>		1							6	2			1		
<i>Helicella itala</i>	5	3+1~	2	2	1		1	1	1			1	3	1	2
<i>Cochlicella acuta</i>							1								
<i>Cepaea hortensis</i>							1~								
Total-terrestrial (including wet species)	89 90	31	23	22	70	10	27	20	29	22	5		22	4	10
No. of species (including wet species)	7 8	8	5	5	5	4	8	7	7	5	1		7	3	4
<b>Seaweed imports</b>															
<i>Rissoa parva</i>	1							1							
<i>Lacuna vincta</i>							1								
<i>Littorina littorea</i>								1							

**BLOCK 6A (see p.50)**

Context	Bone	Pot	Snail	SeaSh	Macro	Stone	IHI	pH	Phos	% Burnt stone
1	342	97	32.18	7134	68.15	819	20.5	7.76	3	0
6	1	0	0.06	7	0.14	0	1	7.61	2	0
Total	343	97	32.24	7141	68.29	819	0	0	0	0

**BLOCK 6B (see p.50)**

Sub-block (see 14.3)	A	B
<b>Context</b>	<b>6</b>	<b>1</b>
<b>Species</b>		
<i>Cochlicopa lubrica</i>	3	9
<i>Cochlicopa lubricella</i>	4	13
<i>Cochlicopa</i> sp	3	6
<i>Vertigo pygmaea</i>		2
<i>Pupilla muscorum</i>	3	28
<i>Lauria cylindraea</i>	1	
<i>Vallonia cylindracea</i>	5	1
<i>Oxychilus alliaris</i>	3	
<i>Helicella itala</i>		1
<i>Cepaea hortensis</i>		10 <sup>^</sup>
Total-terrestrial (including wet species)	37	70
No. of species (including wet species)	6	6

**BLOCK 7A (see p.51)**

Context	Bone	Pot	Snail	SeaSh	Macro	Stone	IHI	pH	Phos	% Burnt stone
83	376	13	8.04	422	0.05	132	56500	7.3	4	0
97	381	26	0.15	380.1	17	0	15500	6.5	3	0
98	1008	32	7.11	630	7.05	199	69000	2	<5	<5
Total	1765	71	15.3	1432.1	24.1	331				
Mean							47000			

**BLOCK 7B (see p.51)**

<b>Sub-block (see 14.3)</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>C</b>
<b>Context</b>	<b>83</b>	<b>98</b>	<b>97</b>	<b>97*</b>
<b>Species</b>				
<i>Cochlicopa</i> sp	3	15	2	2
<i>Pupilla muscorum</i>				4
<i>Lauria cylindracea</i>				2
<i>Vallonia costata</i>	1			
<i>Vallonia excentrica</i>	1			
<i>Vitrina pellucida</i>			2	
<i>Oxychilus alliarius</i>		5		1
<i>Helicalla itala</i>	3	3	5+1 ^	4
<i>Cepaea hortensis</i>	4	6 ^		
Total-terrestrial (including wet species)	12	29	10	13
No. of species (including wet species)	5	4	3	5
Sea weed imports				
<i>Rissoa parva</i>	1			3
Other marine				1

**BLOCK 8A (see p.52)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>Snail</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Stone</b>	<b>IHI</b>	<b>pH</b>	<b>Phos</b>
88	0	0	0	0	0	0	0	35587	2
89	0	0	0.07	0	0.19	9	200	35587	4
90	5	1	5.05	44	0.09	0	1000	35468	4
103	22	0	0.89	58	0.03	123	8000	35648	2
104	16	0	3	64	5.09	0	2000	35587	4
105	172	5	0.05	126	0.06	85	18000	35468	1
237	5	0	3.25	63	0.08	14	2500	7	2
Total	220	6	12.31	355	5.54	231			
Mean							5000		

**BLOCK 8B (see p.52)**

<b>Context</b>	<b>90</b>	<b>89</b>	<b>105</b>	<b>104</b>	<b>103</b>	<b>237</b>
<b>Species</b>						
<i>Cochlicopa</i> sp.	7	9	2		14	15
<i>Vertigo pygmaea</i>						1
<i>Pupilla muscorum</i>	1	1			2	69
<i>Lauria cylindracea</i>						2
<i>Vallonia costata</i>						8
<i>Vallonia excentrica</i>					2	9
<i>Vitrina pellucida</i>						1
<i>Vitrea contracta</i>						1
<i>Oxychilus alliarus</i>						3
<i>Helicella itala</i>	5	4	6		2+2*	23
<i>Cepaea hortensis</i>	2*		1	1*	1	1*
Total-terrestrial (including wet species)	15	14	9		23	133
No. of species (including wet species)	4	3	3	1	5	11
Seaweed imports						
<i>Rissoa parva</i>						1

**BLOCK 9A (see p.54)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>Snail</b>	<b>Macro</b>	<b>Slag</b>	<b>Stone</b>	<b>IHI</b>	<b>pH</b>	<b>Phos</b>	<b>% Burnt stone</b>
99	200	25	4.01	707	3	341	1000	6.7	3	10

**BLOCK 9B (see p.54)**

<b>Context</b>	<b>99</b>
<b>Species</b>	
<i>Pupilla muscorum</i>	1
Total-terrestrial	1

**BLOCK 10A (see p.55)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>Snail</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Stone</b>	<b>IHI</b>	<b>pH</b>	<b>Phos</b>
74	0	0	0	0	0	0	0	7.8	4
77	0	0	0	0	0	0	0	6.3	2
91	3	2	0.01	57	0.01	20	4000	6.5	5
93	0	0	0	0	0	0	0	7.1	2
106	24	2	0.09	213	0.13	9	3000	6.7	3
Total	27	4	0.1	270	0.14	29			
Mean							3500		

**BLOCK 10B (see p.55)**

<b>Context</b>	<b>91</b>	<b>106</b>
<b>Species</b>		
<i>Cochlicopa</i> sp		8
<i>Vertigo pygmaea</i>		1
<i>Pupilla muscorum</i>		2
<i>Helicella itala</i>	1	3
Total-terrestrial (including wet species)	1	14
No. of species (including wet species)	1	4

**BLOCK 11A (see p.55)**

<b>Pits</b>	<b>Diameter (in mm)</b>	<b>Depth</b>	<b>Shape</b>	<b>Fills</b>	<b>(in descending order)</b>
225	0.6	0.15	Flat-bottomed with undercut	158 159	Grey sand Brown sand with two large stones
264	0.56	0.09	Round-bottomed	265 266	Brown sand with carbonized peat Carbonized peat
152	0.55	0.3	U-shaped	124 125	Grey sand Brown & grey sand with carbonized peat
157	0.35	0.14	U-shaped	223 229 156	Grey sand Grey sand Brown & grey sand with carbonized peat

**BLOCK 11B (see p.55)**

<b>Pits</b>	<b>Diameter (in mm)</b>	<b>Depth</b>	<b>Shape</b>	<b>Fills</b>	<b>(in descending order)</b>
151	0.55	0.13	Flat-bottomed	121 122	Mottled grey & brown sand "
253	0.32	0.12	U-shaped	257 258	Light grey sand Black sand
254	0.6	0.14	Flat-bottomed concave sides	259 260	Brown sand Dark brown sand
226	0.35	0.05	Flat-bottomed	153	Grey brown sand

**BLOCK 11C (see p.55)**

<b>Pit</b>	<b>Diameter (in mm)</b>	<b>Depth</b>	<b>Shape</b>	<b>Fills</b>	<b>(in descending order)</b>
230	0.15	0.04	Round-bottomed	255 256	White sand Dark brown sand



**BLOCK IID (see p.55)**

	<b>Bone</b>	<b>Pot</b>	<b>Snail</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Stone</b>	<b>IHI</b>
<b>FLOOR 1</b>							
<i>Layers</i>							
100	103	0	2.84	412	0.02	20	4000
101	37	0	0	78	0	0	0
261	31	10	0.01	32	0.5	98	0
263	56	16	0.01	67	0.53	1486	0
136	5	2	0.01	0	0.09	182	16000
Total	232	28	2.87	589	1.14	1786	10000
<i>Pits</i>							
225/160	0	0	0	0	38	0	205000
/159	13	4	0.12	6	0.35	151	25000
/158	2	0	0.24	17	0.25	12	6500
264/265	4	0	1.6	100	5.2	20	51500
/266	0	0	0	0	139	0	0
152/124	18	13	2.05	9	0.27	69	38500
/125	20.2	18	0.02	10	0.42	266	61500
/126	0	0	0	0	154	0	0
Total	57.2	35	4.03	142	337.49	518	0
<b>FLOOR 2</b>							
<i>Layers</i>							
224	8	2	1.1	52	0.06	20	5500
135	0	0	0	0	0	0	0
115	2	0	0.03	0	0.07	157	11000
Total	10	2	1.13	52	0.13	177	8000
<i>Pits</i>							
253/258	0	0	0	0	90	0	486000
/257	0	1	0.11	0	11	0	61000
151/121	15	3	0.02	5	0.2	113	21500
/122	26	14	0.02	19	0.38	319	30000
/123	0	0	0	0	0	0	0
254/259	10	1	5.01	1	1.2	73	18000
/260	0	0	0	0	80	0	432000
226/153	0	0	0	0	0	0	0
Total	51	19	5.16	25	182.78	505	0
<b>FLOOR 3</b>							
137	11	0	5.17	58	0.03	0	9000

**BLOCK 11E (see p.55)**

Sub-block (see 14.3)	A	A	A	A	A	A	B	B	B	C	C	C	C	C	C	C	D	D	D	E	
Context	136	160	159	158	266	265	126	135	124	261	263	115	224	260	259	122	121	258	257	137	113
Species																					
<i>Cochlicopa</i> sp	3	3	16	39	10	13	1	1	2	1	0	3	8	3	26	3	1	2	2		20
<i>Vertigo pygmaea</i>	0	0	0	0	0	1	1	0	1	0	0	0	1	0	4	1	1	0	0	1	0
<i>Pupilla muscorum</i>	2	2	20	32	8	10	9	12	34	0	1	9	41	5	54	6	12	1	2	25	14
<i>Lauria cylindracea</i>	0	1	0	13	0	2	1	0	0	0	0	0	2	0	5	0	0	0	0	0	2
<i>Vallonia costata</i>	0	0	2	11	2	1	2	1	0	2	1	0	5	2	6	1	1	0	0	0	2
<i>Vallonia excentrica</i>	0	2	4	3	2	2	1	0	2	0	0	0	4	2	28	2	0	1	0	3	2
<i>Vitrina pellucida</i>	0	0	0	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Vitrea contracta</i>	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nesovitrea hammonis</i>	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
<i>Oxychilus alliarius</i>	0	2	4	8	0	5	0	0	0	0	0	0	2	1	21	0	0	0	0	2	3
<i>Clausila bidentata</i>	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Helicella itala</i>	0	4	3	8	11	2	0	0	3	1	0	0	9	1	8	0	2	3	3+1	16+115+5	
<i>Cepaea hortensis</i>	0	0	0	0	0	1 <sup>^</sup>	0	0	H <sup>^</sup> 0	0	2	0	0	0	0	0	0	1	0	2 <sup>^</sup>	1+2 <sup>^</sup>
Total-terrestrial (including wet species)	5	15	51	118	34	40	15	14	44	4	2	14	72	14	152	13	17	8	8	50	69
No. of species (including wet species)	2	7	8	9	6	11	6	3	6	3	2	3	8	6	8	5	5	5	3	6	9
Seaweed imports																					
<i>Hydrobia ulvae</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
<i>Gibula cneraria</i>	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rissoa parva</i>	0	0	0	1	1	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0

**BLOCK 12A (see p.59)**

Context	Bone	Pot	Snail	seaSh	Macro	Stone	IHI	pH	Phos	Pumice frags	Wt
119	15	3	0.06	36	0.28	57	12500	6.5	4	2	20.3
222	0	0	0	0	0	0	0	6.5	4	0	0

**BLOCK 12B (see p.59)**

Context	119
Species	
<i>Cochlicopa</i> sp	13
<i>Pupilla muscorum</i>	17
<i>Lauria cylindracea</i>	1
<i>Vallonia costata</i>	2
<i>Vallonia excentrica</i>	10
<i>Helicella itala</i>	2
Total-terrestrial (including wet species)	45
No. of species (including wet species)	6

**BLOCK 14A (see p.59)**

Context	Bone	Pot	Snail	SeaSh	Macro	Stone	IHI	pH	Phos
109	230	7	5.43	867	0.23	0	7000	7.3	4
110	201	8	8	711	0	3	0	0	0
111	80	4	4.19	176	0.63	107	4500	7.4	3
112	114	11	0.38	243	0.25	127	10000	7.2	4
Total Mean	625	45	18	1988	1.11	237	7000		

**BLOCK 14B (see p.59)**

Context Species	112	111	110	109
<i>Cochlicopa</i> sp	51	34		143
<i>Vetigo pygmaea</i>	6	1		2
<i>Pupilla muscorum</i>	75	15		19
<i>Lauria cylindracea</i>	11	5		3
<i>Vallonia costata</i>	43	15		6
<i>Vallonia excentrica</i>	11	6		57
<i>Punctum pygaeum</i>				1
<i>Vitrina pellucida</i>	1			
<i>Vitrea contracta</i>				1
<i>Nesovitrea hammonis</i>	2			
<i>Oxychilus alliaris</i>	11	17		8
<i>Helicella itala</i>	22	14		4
<i>Cochlicella acuta</i>				1
<i>Cepaea hortensis</i>	1	1+1 ^	3 ^	2 ^
Total-terrestrial (including wet species)	234	109	3	247 248
No. of species (including wet species)	11	9	1	13
Seaweed imports				
<i>Rissoa parva</i>	1			
<i>Littorina littoralis</i>	1			

**BLOCK 15A (see p.60)**

Context	Width	Depth	Shape	Fills	Cut from	Orientation
174	1.2	0.6	round bottomed	171, 172, 173	within BI 15	NW-SE
217	0.35	0.38	square	216	211 (BI 16)	NE-SW
243	0.23	0.06	round bottomed	244	247 (BI 16)	-
246	0.4	0.05	square	246	247 (BI 16)	-
218	0.9	0.25	round bottomed	218	247 (BI 16)	NW-SE

**BLOCK 15B (see p.60)**

	Bone	Pot	Snail	SeaSh	Macro	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice Wt
<b>Layers</b>												
144	554.3	29	12.11	4142	8.46	851	19000	7.2	4	10	0	0
145	667	48	9.94	9271	4.18	1608	37500	7.8	1	10	0	0
146	99	26	8.02	19239	116	690	243000	7	3	<5	0	0
147	107	2	16.04	777	10.31	145	4000	7.5	2	20	0	0
170	40	5	0.03	350	3.76	217	16500	7.5	2	0	0	0
176	55	2	0.63	178	25	195	15000	7.6	2	0	1	2.4
177	409	64	10.04	2482	10	1473	37000	7.8	2	10	2	13.5
178	517.6	60	5.19	1292	4.3	1069	14000	7.2	3	10	0	0
206	16	5	0.11	10	7.52	111	1500	6.6	2	0	0	0
207	124	14	0.08	30	9.24	214	10000	6.4	2	<5	0	0
208	2	2	0.01	0	0.18	25	6500	7.4	2	<5	0	0
215	269	38	5	575	1.83	2407	13500	7.4	2	15	0	0
239	141	33	0.01	246	6.48	903	7000	6.5	3	40	0	0
251	459	0	0	56	6.7	334	342500	6.4	3	0	0	0
Total Mean	3459.9	328	67.21	38648	213.96	10242		55000				
<b>Ditches</b>												
171	57	3	0.16	86	0.63	71	31500	7.09	3	0	0	0
172	28	4	0.13	102	1.4	11	51500	7.66	2	0	0	0
173	4	2	0.06	34	0.62	12	16500	7.45	1	0	0	0
216	18	4	22.03	103	0.24	253	10500	7.4	4	10	1	2.9
218	27	3	0.07	19	0.16	61	3000	7.3	2	10	0	0
244	0	0	0	0	0	0	3000	6.5	3	0	0	0
245	0	1	0.02	0	0.22	0	3000	6.7	3	<5	0	0
Total Mean	134	17	22.47	344	3.27	408		19500				

**BLOCK 15C (see p.60)**

Context	208	207	173	172	171	144	178	145	170	#170	177	146	#146	#251	216	245	218	147	176	#176	206	#206	239	215			
Species																											
<i>Cochlicopa lubrica</i>																									33	3	
<i>Cochlicopa lubricella</i>																										56	4
<i>Cochlicopa</i> sp		9	8	24	27	14	21	8	4	30	6	1	58		6	4	14	3	1	59	3	7			12		
* <i>Vertigo antivertigo</i>				1																							
<i>Vertigo pygmaea</i>			3		2					6			10					1		1					2		
<i>Pupilla muscorum</i>	2		13	34	42	46	30	5	3	25	6	8	80		2	4	10	17	1	23	7	16		1			
<i>Lauria cylindracea</i>	6	1	6	9		5	15	3		1	1	2	4					1	2	1	6						
<i>Vallonia costata</i>		7	6	8	10	3	30	4	1		4	4			2	4	4	4	1	20		7		9			
<i>Vallonia excentrica</i>	1	47	15	20	14	8	50	12	9	49	8	7	36	1	18	14	11	4	4	208	5	18		7			
<i>Punctum pygmaeum</i>					1																						
<i>Vitrea pellucida</i>				1	1																						
<i>Vitrea contracta</i>													2														
<i>Nesovitrea hammonis</i>										1																	
<i>Oxychilus allarius</i>				1			1	1					1														
<i>Hydrobia ulvae</i>					2			2	1	4			15		1			1		2	1	4		1			
<i>Cochlicella acuta</i>											1																
<i>Cepaea hortensis</i>			1		1	4		1+2	2	1			5	1	1	1			4	1				1	1		
* <i>Lymnaea truncatula</i>			1		1																						
Total-terrestrial (including wet species)	9	64	52	97	100	80	150	37	19	116	31	24	208	1	29	26	40	36	8	408	15	61	1	30			
			53	98	101																						
No. of species (including wet species)	3	4	7	7	9	6	7	8	6	7	7	7	10	1	5	4	5	8	5	9	3	8	1	5			
			8	8	10																						
Seaweed imports																											
<i>Hydrobia ulvae</i>								1					1														
<i>Rissoa parva</i>												2															
<i>Littorina littoralis</i>						1																					

**BLOCK 16A (see p.61)**

Pot	Snail	SeaSh.	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
274	0.25	826	43	2	5011	13000	7.2	3	15	1	5.1
2	0.22	756	0.12	0	292	93000	7.4	2	10	0	0
269	0	789	43.35	30.9	2414	148500	7.2	4	15	2	10.3
10	0.01	0	0.41	0	677	10000	7	2	10	1	20
0	0.01	0	0.07	0	0	500	7.3	2	0	0	0
0	0.01	9	0.31	0	20	7000	6.8	2	10	0	0
134	0.04	344	3.19	47	6247	13500	7.3	4	50	0	0
39	0.02	244	0.35	0	1717	14000	6.9	3	50	0	0
12	0.02	565	0.05	0	2621	21000	6.9	2	30	4	43.1
6	0.7	181	4.01	0	54	21000	7.3	2	0	0	0
6	0.14	79	0.23	0	0	35000	7.2	4	0	0	0
16	0.01	281	7.32	0	1725	15500	7.4	2	50	2	5.1
13	0.02	183	0.21	0	580	12500	7.3	2	70	0	0
0	0.03	5	0.94	0	118	4000	7.2	3	25	0	0
12	4.04	420	0.11	0	3821	12500	7.3	2	50	4	25.8
91	0	0	0	0	0	0	0	0	0	0	0
17	0	32	0	0	189	42000	7.4	1	10	0	0
901	5.52	4714	103.67	79.9	25486	29000					

**BLOCK 16B (see p.61)**

Context	203	204	219=	247	241	214	240	150	#149	142	143	235	236	211=	242
<b>Species</b>															
<i>Cochlicopa</i> sp	0	1	2	4	2	1	1	1	4	52	33	107	11	5	3
<i>Vertigo pygmaea</i>	0	0	0	0	0	1	0	0	0	1	8	4	1	0	0
<i>Pupilla muscorum</i>	0	0	12	8	3	12	0	0	6	5	47	60	66	1	1
<i>Lauria cylindracea</i>	0	0	0	1	0	1	0	0	1	35	44	12	1	0	0
<i>Vallonia costata</i>	0	1	0	6	0	0	1	0	3	16	43	23	6	1	10
<i>Vallonia excentrica</i>	3	2	2	5	0	0	2	0	4	67	21	66	13	18	19
<i>Nesovitrea hammonis</i>	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
<i>Oxychilus alliarus</i>	0	0	2	0	2	1	0	0	0	2	2	0	1	0	2
<i>Helicella itala</i>	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0
* <i>Lymnaea truncatula</i>	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Total-terrestrial (including wet species)	3	4	18	24	7	16	4	1	18	181 182	199	272	99	25	35
No. of species (including wet species)	1	3	4	5	3	5	3	1	5	8 9	8	6	7	4	5

**BLOCK 17A (see p.62)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone
179	129	25	0.15	209	8.26	0	1122	18500	7.5	4	20
180	118	14	0	197	0	0	58	27000	0	0	10
190	120	10	0.03	56	0.53	8	463	44500	7.3	2	10
191	113	6	0.01	41	1.1	0	112	24500	7.4	2	10
192	75	4	0.01	47	3.17	0	344	95000	7.6	1	50
193	37	15	0.03	17	0.73	0	152	9000	6.1	2	90
194	81	13	0.02	97	0.77	0	330	54500	7.7	2	50
195	71	22	0.01	46	0.73	0	623	11000	7.3	1	10
Total	744	109	0.26	710	15.29	8	3204				
Mean								35500			

**BLOCK 17B (see p.62)**

Context	179	190	194	193	192	191	195
<b>Species</b>							
<i>Cochlicopa</i> sp	29	7	2	10	0	1	2
* <i>Vertigo antivertigo</i>	0	0	1	2	0	0	0
<i>Pupilla muscorum</i>	17	5	6	10	1	2	1
<i>Lauria cylindracea</i>	15	2	0	2	0	0	0
<i>Vallonia costata</i>	21	5	4	4	0	0	0
<i>Vallonia excentrica</i>	39	8	7	5	0	0	0
<i>Vitrina pellucida</i>	1	0	0	0	0	0	0
<i>Oxychilus alliarus</i>	9	0	0	1	0	0	0
<i>Helicella itala</i>	1	0	0	0	0	0	0
Total-terrestrial (including wet species)	132	27	19 20	32 34	1	3	3
No. of species (including wet species)	8	5	4 5	6 7	1	2	2

**BLOCK 18A (see p.63)**

Pot	Snail	SeaSh	Macro	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
87	17.03	1738	1.16	3014	28,000 (mean)	6.5	3	<5	2	11.7

**BLOCK 18B (see p.63)**

Context	127=	233
<b>Species</b>		
<i>Cochlicopa</i> sp	1	
<i>Vallonia excentica</i>	1	1
Total-terrestrial (including wet species)	2	1
No. of species (including wet species)	2	1

**BLOCK 19A (see p.64)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone
175	170	5	4.08	589	0.12	0	3437	6000	7.5	3	<5
198	91	2	0.06	43	4.4	0	348	36000	7	5	10
212	228.1	38	2.28	883	14.3	0	1955	9,5000	6.7	1	15
213	95	3	2	175	1.55	10	332	11000	6.8	3	15
Total Mean	584.1	48	8.42	1690	20.37	10	6072	15500			

**BLOCK 19B (see p.64)**

Context	198	175	#213	212	#212
<b>Species</b>					
<i>Cochlicopa</i> sp	7	24	112	77	147
<i>Vertigo pygmaea</i>	0	0	1	3	1
<i>Pupilla muscorum</i>	7	1	1	4	6
<i>Lauria clylinracea</i>	1	2	5	12	2
<i>Vallonia costata</i>	1	3	28	14	58
<i>Vallonia excentrica</i>	17	18	70	59	228
<i>Helicella itala</i>	0	2	2	2	2
<i>Cepaea hortensis</i>	0	1 ^	1 ^	1 ^	1 ^
Total-terrestrial (including wet species)	33	51	220	172	445
No. of species (including wet species)	5	7	8	8	8

**BLOCK 20A (see p.64)**

Context	Bone	Pot	Snail	SeaSh.	Macro	Stone	IHI	pH	Phos	% Burnt stone
196	445.2	27	0.01	204	4.48	1401	16000	6.5	2	50
209	22	3	0.01	27	0.01	28	13000	6.8	2	<5
210	322	24	0	277	0.6	1036	10000	6.4	2	10
Total Mean	789.2	65	0.02	508	5.22	2465	13000			

**BLOCK 20B (see p.64)**

Context	196	209
<b>Species</b>		
<i>Cochlicopa</i> sp	2	
* <i>Vertigo antivertigo</i>		1
<i>Pupilla muscorum</i>	2	6
<i>Vallonia costata</i>	2	
<i>Vallonia excentrica</i>	1	1
Total-terrestrial (including wet species)	7	7
		8
No. of species (including wet species)	4	2
		3

**BLOCK 21A (see p.65)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos
86	134	3	0.03	496	0.21	0	69	6500	7.4	2
100	103	0	2.84	412	0.02	0	20	4000	7.5	4
Total Mean	237	3	2.87	908	0.23	0	89	5000		

**BLOCK 21B (see p.65)**

Context	100	86
<b>Species</b>		
<i>Cochlicopa</i> sp	22	5
<i>Pupilla muscorum</i>	1	17
<i>Lauria cylindracea</i>	2	
<i>Vallonia costata</i>	2	
<i>Vallonia excentrica</i>	2	
<i>Oxychilus alliarius</i>	2	2
<i>Helicella itala</i>	2+1 ^	1
<i>Cepaea hortensis</i>	1 ^	
Total-terrestrial (including wet species)	35	25
No. of species (including wet species)	8	4



**BLOCK 22A (see p.66)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	LOI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
Total	3358	443	0.08	2925	0.59	2	4503		1%	7.5	3	20	2	12.8
Mean								16000						

**BLOCK 22B (see p.66)**

Context	276	275	274	280	279+	278	277
<b>Species</b>							
<i>Cochlicopa lubrica</i>					1		
<i>Cochlicopa</i> sp	2	1		6	1	3	9
<i>Vertigo pygmaea</i>				1			
<i>Pupilla muscorum</i>		5	13	8	1	2	9
<i>Vallonia costata</i>			1				3
<i>Vallonia excentrica</i>		1		4			6
* <i>Lymnaea truncatula</i>				9		2	
Total-terrestrial (including wet species)	2	7	14	19 28	3	5 7	27
No. of species (including wet species)	1	3	2	4 5	3	2 3	4

**BLOCK 23A (see p.67)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
267	106	9	0.01	71	0.01	0	234	5500	7.2	4	<5	0	
268	416	0	0.16	101	0	0	916	16000	6.5	2	5	0	
269	5	2	0.02	10	0.08	0	8	500	6.8	2	0	0	
270	209	3	0.01	184	0.02	0	1082	11000	7.1	3	10	3	18.7
271	63	8	0.06	72	0.01	0	236	4000	7	2	<5	0	
272	133	19	0.02	226	0.07	3	326	9000	6.4	2	0	0	
273	40	0	0.01	72	0	0	42	2000	7.1	3	10	0	
Total	972	41	0.29	736	0.19	3	2844						
Mean								7000					

**BLOCK 23B (see p.67)**

Context	271	273	272	270	269	268	267
<b>Species</b>							
<i>Cochlicopa</i> sp	3		1		1	2	1
<i>Vertigo pygmaea</i>	1						
<i>Pupilla muscorum</i>	31	2	10	7	6	4	
<i>Lauria cylindracea</i>					1		
<i>Vallonia excentrica</i>	3		5				
<i>Cochlicella acuta</i>						1	
* <i>Lymnaea truncatula</i>							3
Total-terrestrial (including wet species)	38	2	16	7	8	7	1 4
No. of species (including wet species)	4	1	3	1	3	3	1 2

**BLOCK 24A (see p.67)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
18	69	9	3.02	798	0.29	3	108	15000	7.4	2	25	0	
29	429	22	10	5061	225	4	357	29500	7	2	0	0	
30	119	5	1.01	343	5.02	0	37	29500	7.3	2	0	0	
31	53	0	0.05	110	0.47	0	72	28700	0	0	0	0	
32	980	115	20.59	8123	0.13	4	1530	17000	7.5	5	10	1	2.7
34	0	0	0	106	0	0	0	21000	7.4	3	0	0	
36	68	3	0.01	345	0.13	0	233	18000	7.3	0	0	0	
37	82	4	3	302	57.9	0	25	25500	7.2	3	0	0	
38	144.3	7	6.03	1474	9.45	0	128	117500	7.6	2	<5	0	
39	90	1	0.03	5394	0.41	0	223	1149000	7.6	2	10	0	
40	276	43	5.05	1542	22.76	0	211	29000	7.6	3	<5	0	
41	175	0	0.02	640	12.4	7	37	11500	7.6	4	<5	0	
45	224	32	4.05	1909	16.19	0	966	35500	7.7	3	5	0	
49	13	2	0.08	66	1.07	0	3	5000	7.1	2	0	0	
50	16	1	0	66	0	2	0	16500	7.4	2	0	0	
Total Mean	2738.3	244	52.94	26729	351.22	20	3930		103000				

**BLOCK 24B (see p.67)**

Context	41	40	39	38	36	45	34	32	18	49	37	31	30	29
<b>Species</b>														
<i>Cochlicopa lubrica</i>	1	1	2	2	1	6	1	96	1	2	2	4	3	
<i>Cochlicopa lubricella</i>	1	3	1	1		3		38	2	2	1	1		
<i>Cochlicopa</i> sp	1	6	1	4	2	19		173	2	2	2	4	7	
<i>Vertigo pygmaea</i>										1	1		1	
<i>Pupilla muscorum</i>	1	9	6	5	1	2		5	3	21	9	14	2	1
<i>Lauria cylindracea</i>			1	1						2				
<i>Vallonia costata</i>	5	5	1	3	3	2		5	2	1	4	2	1	
<i>Vallonia excentrica</i>	1	9	3	3	4			8	1	2	3	1	1	1
<i>Vitrina pellucida</i>	1		2	3		3		6						
<i>Oxychilus alliarus</i>	2	2	2	3	2	8			1	2				
<i>Helicella itala</i>		4	1	2			10+1 <sup>^</sup>			4	6		1	
<i>Cepaea hortensis</i>				1~		1~	2+7 <sup>^</sup>	1 <sup>^</sup>	1	1+1 <sup>^</sup>				2 <sup>^</sup>
Total-terrestrial (including wet species)	9	39	20	28	13	44	1	351	13	40	30	26	16	4
No. of species (including wet species)		5	10	11	6	8	1	9	8	11	9	6	7	3
Seaweed imports														
<i>Rissoa parva</i>			1								1			
<i>Littorina littorea</i>											2			

**BLOCK 25A (see p.69)**

Context	Bone	Pot	Snail	SeaSh	Macro	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
140	1074	135	7.01	575	7.63	1660	23500	7.1	2	30	1	10.3

**BLOCK 25B (see p.69)**

Context	140	#140
<b>Species</b>		
<i>Cochlicopa</i> sp		4
<i>Vertigo pygmaea</i>		1
<i>pupilla muscorum</i>		2
<i>Vallonia costata</i>	1	4
<i>Vallonia excentrica</i>		4
<i>Oxychilus alliarus</i>		3
* <i>Lymnaea truncatula</i>		1
Total-terrestrial	1	18
(including wet species)		19
No. of species	1	6
(including wet species)		7

**BLOCK 26A (see p.69)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pum-ice wt
139	726.9	178	4.01	904	12.59	0	2282	34000	6.4	2	50	3	19.9
148	299	49	5.01	363	6.52	0	1049	33000	6.9	2	70	4	17.6
181	10	0	0.01	4	0.07	0	67	3500	6.2	2	10	0	
Total	1035.9	227	9.03	1371	19.18	0	3398						
Mean								23500					

**BLOCK 26B (see p.69)**

Context	139	148	#148	181
<b>Species</b>				
<i>Cochlicopa</i> sp		1	6	3
* <i>Vertigo antivertigo</i>			1	
<i>Pupilla muscorum</i>			10	2
<i>Vallonia costata</i>			6	
<i>Vallonia excentrica</i>			4	2
<i>Helicella itala</i>	1			
<i>Cepaea hortensis</i>	1 ^	1	1 ^	
Total-terrestrial	2	1	27	7
(including wet species)			28	
No. of species	2	1	5	3
(including wet species)			6	

**BLOCK 27A (see p.70)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
54	20.9	–	–	23	0.07	–	44	9000	6.7	4	–	–	
128	19	–	0.01	28	0.36	–	26	10000	6.6	3	25	–	
129	85.0	15	0.01	20	11.13	–	30	35000	6.8	4	<5	–	
130	31.0	–	0.01	14	8.04	–	58	11000	6.8	5	–	–	
131	76.0	2	0.01	47	7.11	–	138	21000	6.5	1	10	–	
132	244.0	12	3.01	250	14.04	–	66	29500	7.3	5	–	–	
133	278.8	19	0.01	180	0.04	–	1129	6000	6.6	4	25	–	
231	19.1	–	0.01	16	0.08	–	51	9000	7.6	5	20	1	10.6
232	24.0	2	0.01	59	0.03	–	528	3000	6.6	3	70	1	9.6
238	21.0	5	0.0125		0.12	–	227	18000	6.7	2	15	–	
Total Mean	818.8	55	3.09		41.29			15000					

**BLOCK 27B (see p.70)**

Context Species	238	133	232	132	231	131	130	129	128
<i>Cochlicopa</i> sp	2		3		1	1			
* <i>Vertigo antivertigo</i>	1								
<i>Vertigo pygmaea</i>			1						
<i>Pupilla muscorum</i>	3	4	1	2	1	1	3	6	
<i>Vallonia costata</i>	1							1	
<i>Vallonia excentrica</i>	2	1	1						
<i>Oxychilus alliaris</i>									1
<i>Helicella itala</i>								1	
<i>Cepaea hortensis</i>				1 ^					
* <i>Lymnaea truncatula</i>						1			
Total-terrestrial (including wet species)	8 9	5	6	3	2	2 3	3	8	1
No. of species (including wet species)	4 5	2	4	2	2	2 3	1	3	1

**BLOCK 28 (see p.71)**

Context	Bone	Pot	SeaSh	Stone	IHI
33	38	16	175	82	6000

**BLOCK 29A (see p.71)**

Context	Bone	Snail	SeaSh	Macro	Stone	IHI	pH	Phos
234	39	21.03	53	0.46	556	16000	6.6	2

**BLOCK 29B (see p.71)**

<b>Context</b>	<b>234</b>
<b>Species</b>	
<i>Cochlicopa</i> sp	3
<i>Vertigo pygmaea</i>	1
<i>Pupilla muscorum</i>	8
<i>Vallonia costata</i>	2
<i>Vallonia excentrica</i>	2
<i>Oxychilus alliarius</i>	2
<i>Helicella itala</i>	3
Total-terrestrial (including wet species)	21
No. of species (including wet species)	7
Seaweed imports	
<i>Rissoa parva</i>	2

## TABLES FOR CHAPTER 6

**BLOCK I A (see p.74)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	PH	Phos	%Burnt
48	7	2	1.05	65	0.01	0	780	5500	7.5	5	<5
55	21	0	0.03	15	6.27	0	50	21500	7.2	3	<5
56	33	3	3.37	209	0.01	0	3323	12000	7.3	4	0
57	108	2	0.62	82	0.01	0	2342	0	7.1	3	0
70	13	1	1.14	42	0.12	0	140	350	7.4	4	0
71	3	0	0.01	0	0.41	0	97	119000	7	3	0
72	4	3	0.01	5	0.08	0	79	0	7.4	3	5
74	328.4	23	0.8	1796.4	0.07	0	3045	8000	7.4	4	30
96	7	0	0.02	0	0.18	0	17	1500	7.4	3	0
132	not sampled										
210	9.5	2	4.11	272.3	0.12	4	300	2000	7.4	2	<5
211	35	2	0.15	52	0.4	0	785	1500	7.4	4	5
213	107	7	0.09	310	17.09	0	36	2000	7.4	4	<5
Total Mean	675.9	45	11.4	2848.3	24.77	4	10994	17500			

**BLOCK I B (see p.74)**

Sub-block (see 14.3) Context	A 57	B 74	C 56	D 48	E 72	E 55	E 71	E 71*	F 70	G 96	H 211	H 210	H 213
<b>Species</b>													
* <i>Oxyloma pfeifferi</i>				1									
<i>Cochlicopa lubrica</i>	26	45	13	1		1		3	4		1	2	3
<i>Cochlicopa lubricella</i>	38	51	23	2		4		5	5	1	9	4	4
<i>Cochlicopa sp.</i>	68	71	31	2			2	3	3		2		
* <i>Vertigo substriata</i>													1
<i>Vertigo pygmaea</i>	2	11	1					2	5		6		2
<i>Pupilla muscorum</i>	211	213	140	18	1	8	3	70	59	7	66	30	47
<i>Lauria cylindracea</i>	2	17		3		3		1	5		3	3	
<i>Vallonia costata</i>	19	13	5	3		2		5	5		1	1	
<i>Vallonia excentrica</i>	56	62	17	14		2	1	14	13	4	20	16	4
<i>Punctum pygmaeum</i>		2	1			1							
<i>Vitrina pellucida</i>	2					1							
<i>Nesovitrea hammonis</i>		1					1						
<i>Oxychilus allarius</i>	2	1					2			1	1		2
<i>Euconulus fulvus</i>									2				
<i>Helicella itala</i>	13	31	38	6		2	1	5	4		3	3	2
<b>Total-terrestrial</b>	439	518	269	49	1	23	10	109	105	13	112	59	64
<b>No. of species</b>	11	12	9	8	1	8	6	10	10	4	10	7	7
<b>Seaweed imports</b>													
<i>Gibula cineraria</i>			1			1		1	1	1			
<i>Rissoa parva</i>	2	3				1	1	3	2	1	3	1	2

## BLOCKS 2-12 (see p.76)

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
4	98	15	0.01	669	0.22	0	2626	10000	7.8	4	10	0	
5	2	0	0.01	33	0.1	0	85	2500	7.7	4	0	0	
6	11	4	0.02	73	0.13	0	786	4000	7.5	4	<5	0	
7	32	4	6.02	234	0.2	0	746	5500	7.7	3	0	0	
8	9	0	0.01	268	0.08	0	722	3000	7.6	1	0	0	
9	71	0	4.01	329	6.4	0	922	5000	7.5	4	0	0	
11	12	0	3	163	0	0	127	3000	0	0	0	0	
12	26	0	10.01	279	0.08	0	902	2500	7.5	4	<5	0	
15	0	0	0	0	0	0	0	0	7.5	3	0	0	
16	70	7	0.01	400	48.55	0	1500	16000	7.5	2	<5	0	
17	0	0	0	0	0	0	0	0	7.5	4	0	0	
18	0	0	0	0	0	0	0	0	7.5	2	0	0	
19	3	0	0.08	24	0.22	0	44	700	7.5	2	0	0	
20	6	0	0.04	59	0.66	0	425	2000	7.7	3	0	0	
21	0	0	0	0	0	0	0	0	7.7	2	0	0	
23	2	0	0.07	24	0.12	0	0	100	7.7	3	0	0	
24	213	18	7.01	1295	0.86	0	2726	3000	7.5	3	5	0	
25	67	3	0.03	167	0.24	0	751	1500	7.3	2	10	0	
26	11	1	0.01	36	0.01	0	30	400	7.3	4	0	1	0.64
27	21	1	3.12	83	0.07	0	41	200	7.1	5	0	0	
28	5	0	4.08	178	0.04	0	269	13500	7.1	3	0	0	
29	0	0	0.02	5	0	0	95	2500	7.3	3	0	0	
30	5	0	0.03	24	0.09	0	57	3000	7.3	1	0	0	
31	29	2	2.06	10	0.18	0	402	4000	7.2	1	<5	0	
32	9	0	0.07	43	0.26	0	0	100	7.3	3	0	0	
33	14	2	0.01	234	0.12	0	605	3000	7.3	4	<5	0	
34	0	0	0	0	0	0	0	0	7.3	3	0	0	
35	1	0	0.03	45	0.46	0	1233	10500	7.2	5	0	0	
36	0	0	0.01	0	0.01	0	0	30	7.3	3	0	0	
37	92	7	3.06	14621	24.23	82	1517	70500	7.2	4	10	0	
38	0	0	0	0	0	0	0	0	7.3	3	0	0	
39	0	0	0.01	34	0.08	49	88	7500	7.3	4	0	0	
41	0	0	0	0	0	0	0	0	7.4	3	0	0	
42	9	0	0.01	0	0.12	0	0	500	7.3	2	0	0	
43	0	0	0	0	0	0	0	0	7.2	3	0	0	
44	0	0	0	4	0	0	22	1000	0	0	0	0	
45	0	0	0	0	0	0	0	0	6.8	2	0	0	
47	0	0	0	0	0	0	0	0	7	3	0	0	
51	0	0	0	0	0	0	0	0	7.1	2	0	0	
52	0	0	0	0	0	0	0	0	7.6	2	0	0	
53	0	0	0	0	0	0	0	0	7.1	2	0	0	
54	0	0	0	0	0	0	0	0	0	4	0	0	
58	15	1	0.01	407	36.25	0	0	500	7.6	2	0	0	
59	4	2	0.01	138	0.94	0	32	0	7.3	3	0	0	
60	70	0	5.03	1094	0.77	0	2644	0	7.1	2	5	0	
61	6	0	0.01	255	0.24	0	52	0	7.5	4	5	0	
62	0	0	0	0	0	0	0	0	7.5	2	0	0	
63	19	0	0.01	3	0.26	0	337	35000	7.1	2	0	0	
64	360	0	6.01	165	1.4	0	1470	8500	7.6	2	20	0	
65	8	0	0.04	372	0.4	0	451	6000	7.4	3	20	0	
66	9	1	0.01	5	0.28	0	14	48500	7.5	2	10	0	
67	15	7	0.01	138	7.12	0	1005	14000	7.3	2	10	0	
68	5	0	0.05	16	0.33	0	91	0	7.1	3	<5	0	
69	174	7	0.03	235	2	18	1398	0	7.5	1	5	0	
73	0	0	0	0	0	0	0	0	7.4	4	0	0	
76	45	4	2.07	209	0.42	0	1743	14500	7.5	3	30	0	
77	93	10	0.02	1674	0.7	0	318	600	7.6	3	40	0	
79	0	0	0	0	0	0	0	0	7.6	3	0	0	

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone	Pumice frags	Pumice wt
80	18	0	0	0	0	0	19	1000	7.3	3	0	0	
81	0	0	0.01	37	0.04	0	15	400	7.4	1	0	0	
82	0	0	0	0	0	0	0	0	7.2	3	0	0	
83	0	0	0	0	0	0	0	0	7.5	2	0	0	
86	0	0	0.01	6	0.01	0	0	4	7.4	3	0	0	
87	53	1	5.05	313	5.85	0	364	49500	7.6	2	20	0	
88	0	0	0	0	0	0	0	0	7.4	2	0	0	
89	95	19	0	54	0	0	51	600	0	0	0	0	
90	0	0	0	7	0.81	0	13	0	7.6	2	0	0	
91	7	1	0.07	65	0.11	0	16	300	7.6	2	0	0	
92	128	0	0.02	267	0.31	0	55	3500	7.1	1	0	0	
93	0	0	0	0	0	0	0	0	7.5	3	0	0	
94	50	12	3.01	678	0.33	0	384	1500	7.3	4	0	0	
99	29	10	0.01	459	0	0	1746	6000	7.4	2	80	0	
100	17	15	0.01	1770	9.92	93	799	33500	7.6	2	10	0	
201	132	0	0.03	981	1.21	0	5446	15500	7.3	3	10	0	
202	70	9	0.01	160	0.13	0	3132	10500	7.4	2	5	0	
204	22	13	2.01	281	2.86	0	624	9500	7.3	4	10	0	
205	45	8	0.01	202	0.72	0	294	3000	7.3	4	10	0	
206	34	0	0.01	1055	1.65	0	410	350	7.4	3	5	0	
207	25	0	0.06	17	0.89	0	195	3000	7.4	0	0	0	
208	0	0	0.01	8	0.07	0	37	500	7.3	2	<5	0	
212	36	3	3.07	148	0.23	0	1042	3000	7.4	4	5	0	
214	6	0	0.05	28	0.95	0	36	2000	7.2	5	<5	0	
215	18	0	0.03	238	2.13	0	330	3000	7.3	3	<5	0	
216	0	0	0	11	0.08	0	34	1000	7.4	3	<5	0	
217	24	2	0.01	65	0.27	0	954	16000	7.3	3	0	0	
218	95	5	0.02	584	0.68	0	2647	10500	7.2	3	5	0	
219	8	0	0.01	732	13.7	0	341	1500	7.3	3	<5	0	
220	29	1	0.01	470	1.6	0	198	2000	7.4	3	<5	0	
221	240	0	0.01	521	18.07	5	838	0	7.3	4	<5	0	
222	31	2	0.03	504	0.58	0	804	8500	7.1	3	<5	0	
224	37	1	4.01	199	0.39	0	298	2500	7.2	3	10	0	
225	62	7	0.03	2750	31.33	0	923	65500	7.4	3	10	0	
223	5	0	0.01	207	0.03	0	265	6500	7.4	2	<5	0	
226	8	4	0.01	177	1.05	0	17	0	7.4	2	0	0	
228	2	0	0.01	243	0.13	0	197	0	7.4	3	<5	0	
231	4	2	0.07	843	0.55	0	89	0	7.3	3	0	0	
234	5	9	0.05	26	0.35	0	67	2000	7.4	3	0	0	
235	0	1	0	0	0	0	0	0	7.4	3	0	0	
237	136	0	0.06	0	0.33	0	24	0	0	0	0	0	
238	10	0	0.01	48	0.32	0	167	0	7.3	4	<5	0	
239	13	0	0.3	1141	0.7	0	762	0	7.4	3	20	0	
244	51	2	0.01	633	0.1	0	905	11500	7.3	3	<5	0	
305	0	0	0	26	0	0	270	4500	7.6	1	0	0	
306	0	0	0	0	0	0	0	0	7.1	3	0	0	
307	0	0	0.01	25	0.21	0	12	4000	7.6	2	0	0	
308	8	0	0.01	68	0.46	0	693	12000	8.1	2	5	0	
309	0	0	0	0	0	0	0	0	7.1	2	0	0	
310	0	0	0	0	0	0	0	0	7.9	4	0	0	
448	0	0	0	0	0	0	0	0	7.6	4	0	0	
Total	3162	223	72.23	40127	247.23	247	51868						
Mean								8500					



**BLOCK 2 (see p.77)**

<b>Context</b>	<b>212</b>	<b>214</b>
<b>Species</b>		
<i>Cochlicopa lubrica</i>	3	3
<i>Cochlicopa sp</i>		1
* <i>Vertigo antivertigo</i>	21	15
<i>Pupilla muscorum</i>		2
<i>Vallonia costata</i>		2
<i>Vallonia excentrica</i>	1	2
<i>Nesovitrea hammonis</i>		4
<i>Oxychilus allarius</i>	1	
* <i>Zonitoides nitidus</i>	1	
<i>Helicella itala</i>	25	12
Total-terrestrial	52	40
(including wet species)	53	41
No. of species	6	7
(including wet species)	7	8
Seaweed imports		
<i>Rissoa parva</i>	4	2

**BLOCK 3 (see p.77)**

<b>Context</b>	<b>219</b>
<b>Species</b>	
<i>Pupilla muscorum</i>	1
<i>Helicella itala</i>	2
Total-terrestrial	2
(including wet species)	
No. of species	2
(including wet species)	
Seaweed imports	
<i>Gibula cineraria</i>	1

**BLOCK 4 (see p.77)**

<b>Context</b>	<b>25</b>	<b>39</b>	<b>31</b>	<b>24</b>
<b>Species</b>				
<i>Cochlicopa lubrica</i>	1		2	
<i>Cochlicopa sp</i>			2	
<i>Vertigo pygmaea</i>	1		2	
<i>Pupilla muscorum</i>	10	1	16	3
<i>Vallonia costata</i>			3	1
<i>Vallonia excentrica</i>	2	2	2	
<i>Helicella itala</i>	1		7	
Total-terrestrial	15	3	34	4
(including wet species)				
No. of species	5	2	7	2
(including wet species)				
Seaweed imports				
<i>Rissoa parva</i>			2	

**BLOCK 5 (see p.78)**

Context	90	69	68	87	87~	223	91	92	86	94	81	67	63	66	64	205	65	208	207	204	99	202	217	216	
<b>Species</b>																									
<i>Cochlicopa lubrica</i>		2	1	2					1								1			1				1	
<i>Cochlicopa lubricella</i>			1		1		4	1									1		1				2		
<i>Cochlicopa</i> sp		2	3	1	1		1	2						1		2			1		2			1	
<i>Columella edentula</i>										1															
* <i>Vertigo antivertigo</i>		1																	1						
* <i>Vertigo substriata</i>					1																				
<i>Vertigo pygmaea</i>		2	1		1		1								3	1	1		4					1	
<i>Pupilla muscorum</i>	5	13	18	25	22	2	40	11	3	5	10	4	3	2	11	2	26		29	1	11		5		
<i>Lauria cylindracea</i>				1	1										3		1		3						
<i>Vallonia costata</i>	2		2	2	2	1				1		1					1		3					1	
<i>Vallonia excentrica</i>	3	1	8	3	4		3	3			2	1			4	1	2		2		1				
<i>Nesovitrea hammonis</i>		1		1	1										3	1			2						
<i>Oxychilus allarius</i>				1	1										2				3		3			1	
<i>Helicella itala</i>	5	1	4	3	1				7			1					2								
<i>Cochlicella acuta</i>			1			1				1						1									
* <i>Lymnaea truncatula</i>										1	1														
Total-terrestrial (including wet species)	15	22	39	39	35	4	49	17	4	14	13	5	5	3	26	8	35		48	2	17		7	4	1
		23			36						14	6							50						
No. of species (including wet species)	4	7	9	9	10	3	5	4	2	4	3	2	3	2	6	6	8		10	2	4		2	4	1
		8			11						4	3							11						
<b>Seaweed imports</b>																									
<i>Gibula cineraria</i>												1					1								
<i>Rissoa parva</i>	1	1		4			1	1							1	3	1	1	3		2		4	1	
<i>Littorina littoralis</i>	1																								
<i>Littorina littorea</i>			1														1							1	

**BLOCK 6 (see p.79)**

<b>Context</b>	<b>201</b>	<b>215</b>	<b>234</b>	<b>100</b>	<b>237</b>	<b>76</b>	<b>77</b>	<b>228</b>	<b>206</b>	<b>221</b>	<b>226</b>	<b>220</b>	<b>220*</b>
<b>Species</b>													
<i>Cochlicopa lubrica</i>	/	/				/					2		
<i>Cochlicopa lubricella</i>	/	/	2		/	3		/			/		
<i>Cochlicopa</i> sp		/	3	/			/						
* <i>Vertigo antivertigo</i>	/			/									
* <i>Vertigo substriata</i>						/							
<i>Vertigo pygmaea</i>							2						
<i>Pupilla muscorum</i>	6	6	16	7	12	15	7	/	4	4	4	/	/
<i>Lauria cylindracea</i>	/	/					/				/		/
<i>Vallonia costata</i>		2	2			4	/					/	
<i>Vallonia excentrica</i>	/	/	3	/	/	2	/	2					
<i>Punctum pygmaeum</i>						/							
<i>Nasovitrea hammonis</i>	/												
<i>Oxychilus allarius</i>	/		/	/	2		/						
* <i>Zonitodes nitidus</i>				/									
<i>Helicella itala</i>		/	/	/	/							/	
<i>Cochlicopa acuta</i>								2					/
* <i>Lymnaea truncatula</i>					/								
Total-terrestrial (including wet species)	13 14	14	28	11 13	17 18	26 27	14	6	4	4	8	3	3
No. of species (including wet species)	7 8	8	7	5 7	5 6	6 7	7	4	1	1	4	3	3
<b>Seaweed imports</b>													
<i>Gibula cineraria</i>							/						
<i>Rissoa parva</i>	3	/	2		2	/	2	/			/		
<i>Lacuna vincta</i>												/	
<i>Littorina littorea</i>								/					

**BLOCK 7 (see p.80)**

<b>Context</b>	<b>218</b>
<b>Species</b>	
<i>Cochlicopa</i> sp	/
* <i>Vertigo substriata</i>	/
<i>Pupilla muscorum</i>	8
<i>Vallonia excentrica</i>	/
<i>Nesovitrea hammonis</i>	/
<i>Oxychilus allarius</i>	2
Total-terrestrial (including wet species)	13 14
No. of species (including wet species)	5 6
<b>Seaweed imports</b>	
<i>Rissoa parva</i>	4

**BLOCK 8 (see p.80)**

<b>Context</b>	<b>244</b>	<b>224</b>	<b>238</b>	<b>222</b>	<b>239</b>	<b>239*</b>	<b>225</b>	<b>231</b>
<b>Species</b>								
<i>Cochlicopa lubrica</i>							/	/
<i>Cochlicopa lubricella</i>	/	/			/		/	
<i>Cochlicopa</i>				3			/	3
* <i>Vertigo substriata</i>							/	
<i>Vertigo pygmaea</i>			/				/	
<i>Pupilla muscorum</i>	2	5	/	15	13	2	9	20
<i>Lauria cylindracea</i>			/	4			/	/
<i>Vallonia costata</i>				2				
<i>Vallonia excentrica</i>				4	2	2	2	6
<i>Nesovitrea hammonis</i>								/
<i>Oxychilus allarius</i>		/			2		/	/
* <i>Zonitoides nitidus</i>					/			
<i>Helicella itala</i>			/	2	/		/	7
<i>Cochlicopa acuta</i>							/	
Total-terrestrial (including wet species)	3	7	4	30	19 20	4	19 20	40
No. of species (including wet species)	2	3	4	6	5 6	2	10 6	8
Seaweed imports								
<i>Rissoa parva</i>		3	/		2	2	/	3
<i>Littorina littoralis</i>					/		/	

**BLOCK 9 (see p.81)**

<b>Sub-block (see 14.3)</b>	<b>A</b>	<b>B</b>	<b>B</b>	<b>B</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>E</b>	<b>E</b>	<b>E</b>	<b>F</b>
<b>Context</b>	<b>23</b>	<b>30</b>	<b>28</b>	<b>37</b>	<b>29</b>	<b>44*</b>	<b>43</b>	<b>36</b>	<b>19</b>	<b>27</b>	<b>26</b>	<b>20</b>
<b>Species</b>												
<i>Cochlicopa lubrica</i>	/			/			/		3	/		/
<i>Cochlicopa lubricella</i>	/						/					2
<i>Cochlicopa sp</i>		/	/						4	3		/
<i>Vertigo pygmaea</i>												/
<i>Pupilla muscorum</i>	43	9	38	23	8		80	5	20	83	4	23
<i>Lauria cylindracea</i>	/									/		
<i>Vallonia costata</i>			2	/			/		/			/
<i>Vallonia excentrica</i>	/	4	2	6		/	2		5	/	/	3
<i>Punctum pygmaeum</i>					/							
<i>Nesovitrea hammonis</i>												/
<i>Helicella itala</i>	5			/	/	/	20		2	2		2
* <i>Lymnaea truncatula</i>						/						
Total-terrestrial (including wet species)	52	14	43	32	10	2 3	105	5	35	91	5	35
No. of species (including wet species)	6	3	4	5	3	2 3	6	1	6	6	2	9
Seaweed imports												
<i>Gibula cineraria</i>		/	4	2			/		2	/		
<i>Rissoa parva</i>	2	6	4	7	/		3		4	7	2	5
<i>Lacuna vincta</i>										/		/
Other marine							/					
<i>Littorina littoralis</i>		/										
<i>Littorina littorea</i>			/	/			2			/		

**BLOCK 10 (see p.82)**

<b>Context</b>	<b>16</b>
<b>Species</b>	
* <i>Oxyloma pfeifferi</i>	1
<i>Cochlicopa</i> sp.	1
<i>Pupilla muscorum</i>	5
<i>Oxychilus alliarius</i>	1
Total-terrestrial	7
(including wet species)	8
No. of species	3
(including wet species)	4

**BLOCK 11 (see p.82)**

<b>Sub-block (see 14.3)</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>C</b>
<b>Context</b>	<b>61</b>	<b>60</b>	<b>59</b>	<b>58</b>
<b>Species</b>				
<i>Cochlicopa lubricella</i>		1		
<i>Cochlicopa</i> sp.			2	
<i>Pupilla muscorum</i>	1	4		
<i>Vallonia costata</i>		2	2	
<i>Vallonia excentrica</i>		1		1
<i>Oxychilus alliarius</i>	1			
<i>Helicella itala</i>			2	3
<i>Cochlicella aucta</i>				1
Total-terrestrial	2	8	6	5
(including wet species)				
No. of species	2	4	3	3
(including wet species)				
Seaweed imports				
<i>Rissoa parva</i>	1	13	4	1

**BLOCK 12 (see p.82)**

Sub-blocks (see I4.3)	A	A	B	C	D	D	D	E	E	E	F	F	F
Context	35	33	12	32	42	9	8	7	6	308	5	4	307
Species													
<i>Oxyloma pfeifferi</i>	1												
<i>Cochlicopa lubrica</i>	3	1					1			1			
<i>Cochlicopa lubricella</i>				3									
<i>Cochlicopa sp.</i>	3			9						2		1	1
* <i>Vertigo antivertigo</i>										2			
<i>Vertigo pygmaea</i>				1				1		1			
<i>Pupilla muscorum</i>	11	1	1	12	1		1	4	2	1		1	
<i>Lauria cylindracea</i>								8	6	3			
<i>Vallonia costata</i>	4		1	2				1		1			1
<i>Vallonia excentrica</i>			4	12				3	1	2			
<i>Vitrina pellucida</i>				1									
<i>Vitrea contracta</i>			1				1	1	2				
<i>Oxychilus allarius</i>								2	2	2		1	2
<i>Hellicella itala</i>	1			26									
<i>Cepea hortensis</i>			1~										
Total-terrestrial (including wet species)	22 23	2	8	66	1		3	21	13	13 15		3	4
No. of species (including wet species)	5 6	2	5	8	1		3	8	5	8 9		3	3
Seaweed imports													
<i>Gibula cineraria</i>				1					1				
<i>Rissoa parva</i>				2		2	1	4	4	1	1	1	

**BLOCK 13A (see p.84)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	IHI	pH	Phos	% Burnt stone
2	0	0	0	0	0	0	0	0	7.5	3	0
3	702	25	0	43.4	0	0	906	1500	7.3	4	0
75	71	10	3.01	754	0.07	169	1978	7500	7.5	2	20
304	0	0	0	0	0	0	0	0	7.7	2	0
354	115	0	0	0	0	0	0	0	0	0	0
436	0	0	0	0	0	0	0	0	7.3	4	0
437	0	0	0	0	0	0	0	0	7.5	3	0
439	0	0	0	0	0	0	0	0	7	1	0
442	0	0	0	0	0	0	0	0	8.2	3	0
448	0	0	0	0	0	0	0	0	7.6	4	0
Total	888	35	3.01	1188	0.07	169	2884				
Mean								4500			

**BLOCK 13B (see p.84)**

<b>Context</b>	<b>3</b>
<b>Species</b>	
<i>Cochlicopa lubrica</i>	4
<i>Cochlicopa lubricella</i>	1
<i>Cochlicopa sp.</i>	4
<i>Pupilla muscorum</i>	44
<i>Vallonia costata</i>	2
<i>Oxychilus alliarius</i>	1
<i>Helicella itala</i>	1
Total-terrestrial (including wet species)	57
No. of species (including wet species)	7
Seaweed imports	
<i>Rissoa parva</i>	2

**BLOCK 15A (see p.86)**

<b>Context</b>	<b>Bone</b>	<b>Pot</b>	<b>Snail</b>	<b>SeaSh</b>	<b>Macro</b>	<b>Slag</b>	<b>Stone</b>	<b>pH</b>	<b>Phos</b>	<b>% Burnt stone</b>
101	280	–	–	–	–	–	15			
141	2	–	0.09	197	0.04	–	11	7.5	4	–
142	4	1	0.18	106	0.62	–	27	7.4	2	–
143	44	–	0.21	37	0.59	–	67	7.4	4	–
144	251	5	4.02	165	0.35	–	40	7.4	2	–
147	8	4	0.01	41	0.97	–	170	7.1	2	–
148	126	–	16.41	–	0.18	–	–	7.3	5	–
149	14	–	–	–	–	–	–	7.3	2	–
155	19	–	0.01	23	0.15	–	616	7.5	2	<5
164	5	–	0.02	582	0.07	–	12	7.5	4	–
166	–	–	–	–	–	–	–	7.4	2	–
168	–	–	0.07	–	0.11	–	–	7.3	3	–
190	–	–	–	–	–	–	–	7.1	3	–
191	–	–	–	–	–	–	–	7.1	3	–
192	–	–	–	–	–	–	–	7.3	2	–
Total	473	10	21.02	1151	3.08	-	958			

**BLOCK 15B (see p.86)**

Sub-block (see 14.3) Context Species	A 148	B 168	C 147	C 155	D 144	E 143	E 142	F 164	G 141
* <i>Oxyloma pfeifferi</i>							2		
<i>Cochlicopa lubrica</i>	3	4			1	7	5	1	1
<i>Cochlicopa lubricella</i>	8	3	1		1	8	5		
<i>Cochlicopa sp.</i>	9	3			1	2	11		1
* <i>Vertigo antivertigo</i>							2		
* <i>Vertigo substriata</i>						1			
<i>Vertigo pygmaea</i>	2	1			1	2	1		
<i>Pupilla muscorum</i>	298	32	4	1	1	7	13		2
<i>Lauria cylindracea</i>					1	13	14	1	
<i>Vallonia costata</i>	5	1				1	1		
<i>Vallonia excentrica</i>		9				2	2		1
<i>Punctum pygmaeum</i>					1		1		
<i>Vitrina pellucida</i>							1		
<i>Vitrea contracta</i>						5	4		
<i>Nesovitrea hammonis</i>						3	2		
<i>Oxychilus allarius</i>					1	55	48	4	3
<i>Helicella itala</i>	5	3	1		3	1	1		
<i>Cochlicella acuta</i>							4	1	17
* <i>Lymnaea truncatula</i>						2	4		
Total-terrestrial (including wet species)	330	56	6	1	11	106 109	113 113	7	25
No. of species (including wet species)	7	8	3	1	9	12 14	15 18	4	6
Seaweed imports									
<i>Rissoa parva</i>	3		1		3	4	5		1
<i>Littorina littoralis</i>		1			1	1			1

**BLOCK 17A (see p.88)**

Context	Bone	Pot	Snail	SeaSh	Macro	Stone	pH	Phos	% Burnt stone
135	117	5	0	53	0	135	0	–	–
245	30	6	0	314	0	222	7.8	4	–
246	410	39	11.01	1633	23.58	3555	7.6	3	10
247	0	1	0.01	14	0.01	0	8	3	–
248	64	1	0.03	53	0.34	505	7.6	3	5
249	9	0	0.01	96	0.42	727	7.7	3	10
250	5	0	0.06	18	0.31	121	8.2	2	–
251	5	0	0.05	50	0.49	49	7.6	4	–
414	26	2	8.01	212	0.81	1541	7.6	2	30
Total	666	99	19.2	2443	25.96	2884	0		



**BLOCK 17B (see p.88)**

Sub-block (see 14.3) Context Species	A 249	B 248	C 251	C 250	D 246	E 414	E 247
* <i>Oxyloma pfeifferi</i>	1						
<i>Cochlicopa lubrica</i>			1	1			
<i>Cochlicopa lubricella</i>		2		1			
<i>Cochlicopa sp.</i>			2	1	1		
* <i>Vertigo antivertigo</i>		2	1				
<i>Vertigo pygmaea</i>					1		
<i>Pupilla muscorum</i>	3	11	22	11	9		
<i>Lauria cylindracea</i>		2	2	3		1	
<i>Vallonia costata</i>		2	4				
<i>Vallonia excentrica</i>	1	2		3	1		
<i>Vitrina pellucida</i>		1	1				
<i>Vitrea contracta</i>			1				
<i>Nesovitrea hammonia</i>			1				
<i>Oxychilus allarius</i>		5	3	4			1
<i>Hellicella itala</i>	1					1	
<i>Cochliella acuta</i>	1		19	18			2
* <i>Lymnaea truncatula</i>		2		1			
Total-terrestrial (including wet species)	6 7	25 29	56 57	42 43	12	2	3
No. of species (including wet species)	4 5	7 9	10 11	8 9	4	2	2
Seaweed imports							
<i>Gibula cineraria</i>	1						
<i>Rissoa parva</i>		1	2	2		1	
<i>Littorina littoralis</i>			1				
<i>Littorina littorea</i>		1					

**BLOCK 18A (see p.89)**

Context Layers	Bone	Pot	Snail	SeaSh	Macro	Stone	Ph	Phos	% Burnt stone
123	219	46	0	0	0	0	0	0	0
124	224	2	0.01	948	1.56	11	7.6	2	0
169	0	21	0.02	0	0.12	0	7.8	2	0
170	157	0	0	28	0	213	7.6	4	0
185	76	0	0	0	0	0	7.1	4	0
186	0	0	0.01	21	0.34	9	0	0	0
Total	676	69	0.04	997	2.02	233	0	0	0
<b>Pits</b>									
Pit 1/138	1978	0	0	0	0	0	0	0	0
Pit 2/178	719	0	0.09	8	34.68	118	7.6	4	<5
Pit 3/174	1024	0	0	5	0	137	7.3	2	0
Pit 4/481	1418	0	0	0	0	0	0	0	0
Total	5139	0	0.09	13	34.68	255	0	0	0

**BLOCK 18B (see p.89)**

<b>Sub-block (see 14.3)</b>	<b>A</b>	<b>B</b>	<b>B</b>	<b>B</b>
<b>Context</b>	<b>178</b>	<b>186</b>	<b>169</b>	<b>124</b>
<b>Species</b>				
<i>Cochlicopa lubrica</i>	3			
<i>Cochlicopa lubricella</i>			1	
<i>Cochlicopa</i> sp.	2	2	2	
* <i>Vertigo antivertigo</i>				1
* <i>Vertigo substiata</i>			1	
<i>Vertigo pygmaea</i>	1			
<i>Pupilla muscorum</i>	34	8	2	1
<i>Vallonia costata</i>		3		
<i>Vallonia excentrica</i>	6		1	
<i>Oxychilus alliarius</i>		1	2	
<i>Helicella itala</i>	1			
<i>Cochlicella acuta</i>		3	1	
Total-terrestrial (including wet species)	47	17	9 10	1 2
No. of species (including wet species)	6	5	6 7	1 2
Seaweed imports				
<i>Rissoa parva</i>	2	1		

**BLOCK 19A (see p.92)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	pH	Phos	% Burnt stone
252	30	0	0.09	261	1.64	0	268	7.8	3	5
253	5	0	0.01	110	0.73	0	82	7.6	3	10
254	5	0	0.01	56	0.31	0	35	7.6	3	0
255	24	0	0.11	46	1.2	0	57	0	0	0
256	5	0	0.12	35	0.39	0	23	7.8	2	0
257	105	13	0.02	273	0.23	0	1705	7.6	2	<5
258	7	4	0.02	44	0.32	0	229	7.7	2	0
259	38	0	5	220	1.14	0	469	7.7	2	0
260	3	2	0.01	99	0.1	0	296	7.6	3	0
261	33	6	1	250	0	0	1402	7.6	2	<5
262	39	10	9.01	619	6.23	0	1161	7.6	2	<5
263	31	5	9	1131	9.79	0	710	7.6	2	0
264	20	0	0.06	1477	13.91	0	108	7.6	2	0
265	116	8	0.01	2032	1.24	26	1738	7.6	2	<5
266	0	0	0	0	0	0	0	7.5	5	0
267	244	7	4.07	819	11.82	0	1207	7.5	2	<5
268	242	13	0.11	1118	9.54	0	3932	7.5	2	<5
269	18	1	0.22	247	1.01	0	1250	7.8	2	0
270	62	0	2.1	561	1.01	8	1693	7.7	4	0
271	20	2	2.01	140	0.02	0	530	7.8	3	<5
272	94	8	0.1	263	0.99	7	576	7.8	1	5
273	62	0	0.19	80	1.24	0	224	7.8	0	0
274	14	0	2.13	31	0.34	0	1236	7.9	3	<5
275	22	0	0	10	1.41	0	7	7.9	2	0
276	3	1	0.33	16	0.38	0	504	7.7	2	0
277	0	0	0	0	0	0	0	7.5	2	0
278	0	1	0.01	0	0.1	0	0	7.9	2	0
279	0	0	0	0	0	0	0	7.6	3	0
280	0	0	0.03	0	0.66	0	11	8.1	2	0
294	0	0	0	0	0	0	0	7.8	2	0
295	3	1	0.09	18	0.3	0	24	7.8	3	0
296	11	0	0.06	5	0.08	0	395	8.1	4	0
297	0	0	0	0	0	0	0	8.1	2	0
298	0	0	0	0	0	0	0	8.1	3	0
299	8	0	0.08	177	1	0	216	7.8	4	0
300	2	0	0.01	19	0.22	0	726	0	2	<5
301	624	0	0	0	0	0	0	0	0	0
355	3	0	0.01	16	0.23	0	52	0	0	0
372	13	4	0.03	71	1.26	0	1389	7.7	0	0
373	12	4	0.03	93	0.8	0	302	7.6	0	0
Total	1918	90	36.08	10337	69.64	41	22557	0	0	0

**BLOCK 19B (see p.92)**

Sub-block (see 14.3)	A	B	B	C	C	D	D	E	F	G	G	H	I	J	J	J	J	K	K	K	K	K	L	L	M	M	M	N	O	
Context	280	276	274	296	255	254	253	252	278	273	272	271	355	372	373	299	300	270	269	295	268	267	265	264	262	258	257	256	260	
<b>Species</b>																														
<i>Cochlicopa lubrica</i>	3	16	5	3	2			1		11	1		1		2	4		2	8	7	4		1	1					1	1
<i>Cochlicopa lubricella</i>	2	7	8	2	1	1		3		10	19							5	8	4	4	4		2					1	
<i>Cochlicopa</i> sp		16	5	1	6	1		6	1	26	21			2	1	1		5	8	2	4	8		2					1	
* <i>Vertigo antivertigo</i>								1		1					2		1				1	3	2	1						
* <i>Vertigo substriata</i>								1																						
<i>Vertigo pygmaea</i>					1			1					1	1				1		1	2								1	
<i>Pupilla muscorum</i>	141	50	18	22	7	4	28	4	87	37	1	7	15	15	40	5	18	48	20	42	18	1	11	1	4		16	3		
<i>Lauria cylindracea</i>		9	4	1	1		5	1	3	4		1		2	4		5	10	9	3	3		7					1		
<i>Vallonia costata</i>		8	4	1	2		4			7								3		2	2		3				2	2		
<i>Vallonia excentrica</i>		2	1	2	4					3	3	1			1	1		2		2	2		2							
<i>Vitrina pellucida</i>										1	1						1	1												
<i>Vitrea contracta</i>																												5	1	
<i>Nesovitrea hammonis</i>					1																1								1	
<i>Oxychilus alliarius</i>	1	2	3				8	2	2		1			2	6		8	8	6	10	7		1	1	1	2	18			
* <i>Zonitoides nitidus</i>		1																												
<i>Helicella itala</i>		16	5	5	6		3		8	1							2	5	2	1	3	2	2							
<i>Cochlicella acuta</i>					2		13					7																	1	
* <i>Lymnaea truncatula</i>					2								1	1	1	1		1	2	2	1		2							
Total-terrestrial (including wet species)	6	218	85	33	48	9	4	72	8	151	93	3	17	18	23	56	6	46	102	50	73	50	4	31	2	5	2	45	11	
No. of species (including wet species)	3	9	9	8	11	3	1	10	4	9	8	3	5	3	6	6	2	8	11	7	10	10	3	9	2	2	1	8	8	
<b>Aquatic species</b>																														
<i>Armiger crista</i>																														1
<b>Seaweed imports</b>																														
<i>Gibula cineraria</i>																														1
<i>Rissoa parva</i>	1	3	3	3	4	1	1	7	1	6	2		4	4	11	2	8	14	6	8	2		2		1			4		
<i>Littorina littoralis</i>												1	1									1	1							
<i>Littorina littorea</i>	1											1						1												

**BLOCK 20A (see p.93)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	pH	Phos	% Burnt stone
189	—	2	—	—	—	—	—	—	—	—
314	621	—	—	—	—	—	—	—	—	—
323	3	2	0.01	32	0.01	—	24	7.6	3	—
324	—	—	—	—	—	—	—	7.7	2	—
331	4	—	0.52	39	0.03	—	90	7.6	4	—
335	—	1	—	3	—	—	32	7.8	3	—
336	—	2	2.01	—	0.01	—	6	7.7	4	—
343	—	3	0.01	17	0.04	—	—	7.8	3	—
413	145	4	0.08	74	0.63	24	867	7.4	—	—
435	2	—	0.05	—	0.1	—	58	7.4	—	<5
447	53	—	6.05	97	0.08	—	369	7.4	3	—
Total	828	14	8.73	262	0.9	24	1446			

**BLOCK 20B (see p.93)**

<b>Sub-block (see 14.3)</b>	<b>A</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>D</b>
<b>Context</b>	<b>447</b>	<b>336</b>	<b>323</b>	<b>331</b>	<b>435</b>	<b>413</b>
<b>Species</b>						
<i>*Oxyloma pfeifferi</i>					1	1
<i>Cochlicopa lubrica</i>	6	1		2	10	4
<i>Cochlicopa lubricella</i>	1	1		2	2	2
<i>Cochlicopa sp</i>	4	1	1	2	2	2
<i>Vertigo pygmaea</i>			1		2	4
<i>Pupilla muscorum</i>	3		5			3
<i>Lauria cylindracea</i>	2		3	1		
<i>Vallonia costata</i>	1		6		1	3
<i>Vallonia excentrica</i>			1		2	2
<i>Nesovitrea hammonis</i>	2					1
<i>Oxychilus allarius</i>					3	4
<i>Helicella itala</i>	1	1				1
<i>Cochlicella acuta</i>				104		1
<i>*Lymnaea truncatula</i>	2					
Total-terrestrial	20	4	17	111	22	27
(including wet species)	22				23	28
No. of species	8	4	6	5	7	11
(including wet species)	9				8	12
<b>Aquatic species</b>						
<i>Gyraulus laevis</i>	1					
<b>Seaweed imports</b>						
<i>Rissoa parva</i>	1	3	1	5		4
<i>Littorina littoralis</i>						1
<i>Littorina littorea</i>						1

**BLOCK 21A (see p.95)**

Context	Pot	Snail	SeaSh	Macro	pH	Phos
357	0	0.14	0	0.53	0	0
371	0	0.01	17	0.16	7.2	0
375	0	0	0	0	7.8	3
377	0	0	0	0	7.7	3
378	0	0	0	0	7.6	3
379	0	0	0	0	7.6	3
380	0	0	0	0	7.6	3
381	0	0	0	0	7.7	2
382	0	0	0	0	7.7	2
383	0	0	0	0	7.7	4
384	0	0	0	0	7.6	1
385	0	0	0	0	7.7	2
386	0	0	0	0	7.6	3
387	0	0	0	0	7.7	3
389	0	0	0	0	7.5	5
390	0	0	0	0	7.6	3
391	0	0	0	0	7.6	2
392	0	0	0	0	7.6	1
393	4	0	0	0	7.5	3
394	0	0	0	0	7.6	2
395	0	0	0	0	7.6	3
396	0	0	0	0	7.6	0
400	0	0	0	0	7.6	0
402	0	0	0	0	7.7	0
404	0	0	0	0	7.5	0
405	0	0	0	0	7.5	0
406	0	0	0	0	7.2	0
407	0	0	0	0	7.4	0
411	0	0	0	0	7.7	0
421	0	0	0	0	7.4	0
422	0	0	0	0	7.2	0
423	0	0	0	0	7.8	0
425	0	0	0	0	7.7	0
Total	4	0.15	17	0.69	0	0

**BLOCK 21B (see p.95)**

Context	357	371
<b>Species</b>		
<i>Cochlicopa lubrica</i>	5	2
<i>Cochlicopa Lubricella</i>	2	
<i>Cochlicopa sp</i>	3	
<i>Pupilla muscorum</i>	51	7
<i>Lauria cylindracea</i>	3	2
<i>Oxychilus alliaris</i>		1
<i>Helicella itala</i>	6	
Total-terrestrial (including wet species)	70	12
No. of species (including wet species)	6	4
<b>Seaweed imports</b>		
<i>Rissoa parva</i>		1
<i>Littorina littorea</i>	1	

**BLOCK 22A (see p.96)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	pH	Phos	% Burnt stone
332	51	14	0.03	723	0.2	6	2956	7.6	3	–
333	78	2	–	105	0.12	–	1155	7.5	3	–
337	33	–	0.01	6	0.41	–	56	7.7	3	–
341	63	12	0.12	244	0.74	–	1312	7.7	3	–
344	–	–	0.01	6	0.55	–	44	8.2	4	–
345	–	–	0.01	–	0.01	–	–	7.8	3	–
346	–	–	–	–	–	–	–	7.5	4	–
350	–	–	–	–	–	–	–	7.5	3	–
351	27	4	0.04	395	0.54	4	1532	7.8	3	5
352	5	3	–	65	–	–	198	7.5	–	–
353	–	–	–	–	–	–	–	7.6	3	–
412	16	5	0.01	29	0.35	–	275	7.3	2	–
TOTAL	273	40	0.23	1573	2.92	10	7528			

**BLOCK 22B (see p.96)**

Sub-block (see 14.3) Context	A 344	A 337	A 412	B 351	C 332
Species					
<i>Cochlicopa lubrica</i>		1		5	
<i>Cochlicopa lubricella</i>			1		
<i>cochlicopa sp</i>			1	1	1
<i>Pupilla muscorum</i>			2	24	3
<i>Lauria cylindracea</i>					2
<i>Vallonia costata</i>				2	
<i>Vallonia excentrica</i>	2				
<i>Oxychilus alliarius</i>				1	1
<i>Helicella itala</i>			2	4	1
* <i>Lymnaea truncatula</i>				1	
Total-terrestrial (including wet species)	2	1	6	37	8
No. of species (including wet species)	1	1	4	6	5
Seaweed imports					
<i>Gibula cineraria</i>					1
<i>Rissoa parva</i>				3	
<i>Littorina littorea</i>				1	

**BLOCK 23 (see p.98)**

Context	Bone
115	84

**BLOCK 26A (see p.100)**

Context	Bone	Pot	Snail	SeaSh	Macro	Slag	Stone	pH	Phos	% Burnt stone
326	18	1	0.06	70	0.24	–	666	7.4	4	–
327	–	–	–	–	–	–	–	7.6	3	–
338	31	3	0.05	969	0.15	–	4322	7.8	4	–
339	42	6	2.04	470	0.52	–	4542	7.8	4	–
340	34	–	0.04	170	0.92	–	505	7.8	2	–
342	4	–	0.37	–	0.01	–	7	8	4	–
347	14	–	0.01	49	0.23	–	218	7.4	4	–
348	4	–	0.14	102	0.02	–	10	7.4	2	–
349	6	–	0.08	68	0.35	–	124	7.5	4	–
369	20	–	0.39	–	0.01	–	–	7.3	2	–
370	–	–	–	–	–	–	–	7.4	3	–
376	–	–	–	–	–	–	–	7.6	4	–
TOTAL	173	10	3.18	1898	2.45	–	10394			

**BLOCK 26B (see p.100)**

Sub-block (see 14.3)	A	B	C	D	D	D	E	E	F
Context	369	342	326	340	347	339	348	338	349
<b>Species</b>									
<i>Cochlicopa lubrica</i>	54	23	3	3	3	9	6	49	4
<i>Cochlicopa lubricella</i>	42	25	3	2			9	35	3
<i>Cochlicopa sp.</i>	37	23	7	4	4	12	12	37	11
* <i>Vertigo substriata</i>	1								
<i>Vertigo pygmaea</i>								1	
<i>Pupilla muscorum</i>	38	119	17	6	3	8	33	156	24
<i>Lauria cylindracea</i>			2					6	1
<i>Vallonia costata</i>	7	3	6	2	2	5	2	27	7
<i>Vallonia excentrica</i>	58	34	6	6	2	8	7	46	8
<i>Vitrina pellucida</i>								1	
<i>Nesovitrea hammonis</i>			1						
<i>Oxychilus allarius</i>			2			1			3
<i>Helicella itala</i>	1	16	3			1	5	14	6
<i>Cochlicopa acuta</i>							1	1	
* <i>Lymnaea truncatula</i>			1						
Total-terrestrial	237	243	50	23	14	44	75	375	67
(including wet species)	238		51						
No. of species	7	7	10	6	5	7	8	11	9
(including wet species)	8		11						
Seaweed imports									
<i>Rissoa parva</i>	1		1			1	1	1	3



**BLOCK 27A (see p.102)**

Context	Bone	Pot	Snail	SeaSh	Macro	Stone	pH	Phos	% Burnt stone
125	6	6	0	0	0	0	0	0	0
126	211	4	0	0	0	0	0	0	0
130	56	19	0	0	0	0	0	0	0
172	34	0	0.02	109	0.65	123	0	0	0
175	0	0	0	8	0.04	40	7.2	3	0
464	53	2	0.05	106	0.01	917	7.3	5	5
465	42	0	0.03	94	0.31	1420	7.3	5	0
Total	402	31	1	317	1.01	2500	0	0	0

**BLOCK 27B (see p.102)**

Sub-block (see 14.3) Context	A 464	B 465	C 172
<b>Species</b>			
<i>Cochlicopa lubrica</i>	1	3	1
<i>Cochlicopa lubricella</i>	2		
<i>Cochlicopa sp</i>	1	3	
* <i>Vertigo antivertigo</i>			1
<i>Pupilla muscorum</i>	13	5	10
<i>Vallonia costata</i>		2	
<i>Vallonia excentrica</i>	1	1	2
<i>Vitrina pellucida</i>		1	
<i>Oxychilus alliarius</i>	2	1	
<i>Helicella itala</i>	1		
<i>Cochlicella acuta</i>		8	
Total-terrestrial (including wet species)	21	24	13 14
No. of species (including wet species)	7	8	3 4
Seaweed imports			
<i>Rissoa parva</i>		1	4

**BLOCKS 28–31 (see p.103)**

Context	50
<b>Species</b>	
<i>Cochlicopa lubrica</i>	1
<i>Vertigo pygmaea</i>	2
<i>Pupilla muscorum</i>	1
<i>Lauria cylindradea</i>	2
<i>Vallonia costata</i>	4
<i>Oxychilus alliarius</i>	1
<i>Cochlicella acuta</i>	2
Total-terrestrial (including wet species)	13
No. of species (including wet species)	7
Seaweed imports	
<i>Rissoa parva</i>	2

## TABLES FOR CHAPTER 7

**BLOCK IA (see p. 105)**

Layers	Bone	SeaSh	Pot frags	Pot wt	Qtz	Flt	Stn	Slag	Pumice frags	Pumice wt
4	27.6	604.9	26	466.8	16	6	16	1	1	2.4
13	1.1	0	0	0	0	2	0	0	0	0
19	1.7	0	2	7.7	4	0	1	0	1	14.3
21	0	0	1	4.1	1	0	0	0	0	0
25	0	0	14	177.7	2	0	0	0	0	0
27	0	0	1	3.9	0	0	0	0	0	0
71	0	0	7	33	2	0	0	0	0	0
101	65	39	0	0	0	1	0	0	0	0
104	11	144.1	4	31.7	0	2	0	0	0	0
109	10	53	0	0	0	0	0	0	0	0
122	77.7	0	0	0	0	0	0	0	0	0
124	0	0	0	0	1	1	0	0	0	0
142	221.3	6.4	0	0	0	0	0	0	0	0
157	0	0	2	17.9	0	0	0	0	0	0
198	0	0	0	0	1	0	0	0	0	0
Total	415.4	847.4	57	742	27	12	12	17	12	16.7

**BLOCK IB (see p. 105)**

Pits	Bone	SeaSh	Pot frags	Pot wt	Qtz	Flt
2	0	0	2	43	0	0
3	0	0	9	54.4	0	0
5	0	0	0	0	0	1
38	0	0	0	0	1	0
48	0	0	1	2.5	0	1
68	0	0	1	1.7	1	0
93	0	6.7	0	0	0	0
119	0	0	1	11.3	0	0
95 (fill of 119)	0	0	1	32	0	0
150	102.2	10.4	0	0	0	0
207	0	0	0	0	20	0
222	0	0	0	0	0	1
224 (fill of 222)	0	0	1	76	0	0
Total	102.2	17.1	16	220.9	22	3

**BLOCK 2 (see p. 106)**

Context	Pot frags	Pot wt	Stn
103	1	3	1

**BLOCK 3 (see p.108)**

<b>Context</b>	<b>Bone</b>	<b>SeaSh</b>	<b>Qtz</b>	<b>Flt</b>	<b>St</b>	<b>Pumice frags</b>	<b>Pumice wt</b>
83	0	0	0	0	1	0	0
108	20.6	1012.7	6	0	8	1	8
112	1.3	9.2	0	0	0	0	0
180	46.9	12.1	0	2	0	0	0
212	0	100	17	0	1	0	0
233	0	0	1	0	0	0	0
Total	68.8	1134	24	2	10	1	8

## TABLES FOR CHAPTER 8

**BLOCK 1 (see p. III)**

Context	Bone	Snail	SeaSh	Stone	pH	Phos
I	9.14	6	123.8	334	2	7.4

**BLOCK 2 (see p. III)**

Context	Snail	SeaSh
50	6.3	27

**BLOCK 3 (see p. III)**

Context	Bone	Snail	SeaSh	Mcp	Pot	Stone	Iron	pH	Phos
5	0	0	68	0	0	0	0	7.3	4
6	9	0	215	0	0	0	0	7.5	4
7	61	0	818	6	0	437	0	7.5	4
8	6	0	128	0	4.7	164	0	7.5	3
11	0	0	0	0	0	0	0	7.5	3
12	2	1.4	96	0	0	298	0	7.5	5
13	13	0	93	0	0	73	0	7.5	3
14	0	0	0	0	0	0	0	7.6	2
15	0	0	0	0	0	0	0	7.5	2
17	43	10.2	96	0	0	70	0	7.5	5
19	72	11	707	18	0	288	0	7.6	5
20	4	0	191	0	0	108	0	7.6	5
21	7	0	600	0	0	405	0	7.7	2
22	20	0	132	0	8.1	99	0	7.1	5
23	0	4	118	0	0	17	0	7.5	4
24	12	7	148	0	16.7	30	0	7.5	3
27	11	0	917	0	0	0	0	7.7	4
28	4	0	51	0	0	0	0	7.6	3
29	2	0	31	0	20.6	17	0	7.7	5
30	0	0	186	0	0	7	0	7.1	5
31	20	0	160	0	0	20	0	7.6	2
32	9	2.8	131	0	0	0	0	7.5	4
33	28	7.6	0	0	0	0	0	7.5	3
35	0	0	0	0	0	0	0	7.6	3
37	3	5.3	0	0	0	0	0	7.1	2
38	79	2.1	775	0	0	174	0	7.6	5
41	39	7	563	0	0	554	10	7.7	4
42	0	0	30	0	0	0	0	7.5	4
47	0	0	130	0	0	0	0	7.1	5
48	85	0	253	0	0	95	0	7.7	5
49	0	0	22	0	3.8	0	0	7.8	4
Total	529	58.4	6,659	18	53.9	2,856	10	0	0

