

CARTER

TULLOCH WOOD

CONTENTS

Table 2	Charcoal in dating samples	1:E2-3
Table 3	Charred plant remains	1:E4-5

Table 2. Charcoal in dating samples from Tulloch Wood. Numbers of fragments of each species identified.

AREA/CONTEXT		Alnus glutinosa	Betula sp.	Corylus avellana	Ilex aquifolia	Pinus sylvestris	Prunus sp.	Quercus sp.	Salix sp.	Sorbus aucuparia	Ulmus sp.
1	1013	1		2	2						
2	1413		3	3				3			3
3	1003		9	1							
4	1503			7				3			
5	1203		9	1							
6	1303		4	5				1			
8	1101	1	4	2			1	2			
8	1103					9		4			
9	1404		1							9	
10	1208		1	5		1		2	1		
11	1309		2	1							7
12	1507	10									
16	1315		3	3	1			3			
17	1327							100	8		
19	1018			2		7	1				

TABLE 3. THE CHARRED PLANT REMAINS FROM TULLOCH WOOD

F.No.	1003	1008	1013	1014	1018	1101	1203	1208	1303	1315	1413	1503	1507
AREA	3	13	1	1		3	5	10	6	16	2	4	12
SPECIES													
Hordeum (grain)													
hulled		1											
cf. hulled symmetric							1						
indet. asymmetric			1										
indet.		1											
Cereal indet. (grain)		1											
Calluna vulgaris (l.) Hull (flower)			1										
Carex (biconvex)							1						
Corylus avellana L. (nutshell)	2F		26F	7F	1F	1F	2F	1		2F	12F		
Galeopsis tetrahit agg.			1										
Galium aparine L.			1										1
Ilex aquilifolium L.			14	8									
Plantago lanceolata L.									1				
Rumex sp.			1										
Indet.			2	1									
Fraction of retent sorted	25%	12.5%	50%	50%	100%	75%	50%	100%	100%	100%	12.5%	25%	50%
Quantifiable components		3	21	9			2	1	1			1	1
Soil volume (litres)	84	36	72	66	68	60	60	40	60	76	42	80	81

KEY:

F - Fragments (not included in sample totals)

NOTE: Sample totals have not been standardised to represent entire samples